

LUNNARK LUMINAIRES

20 $\frac{21}{22}$

VTECH
BIOTRON
PVT LTD

20 $\frac{21}{22}$



LunnArk^(R)

Light innovations at its best

by VTECH BIOTRON PVT LTD





2021



Bengaluru

ಬೆಂಗಳೂರು

ಬೆಂಗಳೂರು

Bengaluru, a megacity where ASIA's first street light was lit up in 1905. With over 861 streetlights and 1639 domestic connections.

Bangalore became one of the first cities in India to have electricity from Hydro Power, powered by the hydroelectric plant situated in **Shivanasamudra**.

It is also known as the 'SILICON VALLEY of INDIA' because large number of Information Technology companies are located in the city which contribute higher rate of IT exports from India.

India's third largest software companies Infosys and Wipro are headquartered in Bangalore, along with other major companies like HAL and ISRO.

Bengaluru is home to many educational and research institutions as well.

A rapid transit system called the Namma Metro is being built in stages.

Bengaluru is known as the 'Garden City of India' because of its greenery and presence of many public parks, amongst which Lal Bagh and Cubbon Park are well known.



Courtesy : TIMES OF INDIA

When the streets of Bangalore were first lit in 1905 and History was made.



Courtesy : DECCAN HERALD



Source : wikipedia



Source : wikipedia



COPYRIGHT BY
LUNNARK
VTECH BIOTRON PVT LTD

GRAPHIC DESIGNER
Priyanka HB

PRODUCT PHOTOGRAPHER & DESIGNER
Clif Remy D'Costa



 **LunnArk[®]**

Decade Journey of Vtech Biotron – LunnArk

- 2006** Vtech Biotron Private Limited was registered.
- 2010** Initiated LED business vertical with design and development team and prototype product development.
- 2011** Indigenously designed Backlit downlight plastic injection moulds for 10W and 20W LED luminaires using 0.5W refund Low Power LED with injection moulded opac diffuser. Designed and developed in-house constant-current LED drivers.
- 2012** Design and production of backlit 2x2 grid / lay-in ceiling / POP luminaries with PMMA diffuser was initiated. 30W/40W/50W range of power was introduced first in the market with aluminium reflectors and LEF film for higher efficacy. Developed Illusive Sky ceiling lights for Hospital, Patient care and Lobbies. Retrofit for CFL kit was developed and helped many facilities with their initial ROI and CAPEX concerns.
- 2013** Launched second generation slim backlit luminaries of various sizes ranging from 1x2, 2x2, 2x4 for grid / lay-in POP.
- 2014** Design, development and production of clean room luminaires, clip-in ceiling fixtures. Also initiated industrial low-bay lights. Completed first export to Lagos - Nigeria, executing 100,000 sq ft. lighting for Hospital with grid & clean room lights.
- 2015** First in India to launch in-house developed replacement for 4 x 54W Badminton (Shuttle) court diffused light fitting with lowest NRC prismatic diffuser options including 150W and 200W with a size of 490mm x 1200mm light fixtures. More than 100 Badminton courts were installed with LunnArk luminaires in a span of 4 years.
- 2016** Span of 5 years, completed 20 hospitals, major technology and Pharmaceutical companies, Malls across 5 states in Southern India – completed lighting up 2 million square feet artificial lighting area.
- 2017** Ventured into Linear profile, commercial decorative luminaires and stretch fabric ceiling to match the changing trend of true-ceiling interior designs.
- 2018** Range of technical decorative lights were introduced by LunnArk, incorporating True ceiling design element. The luminaire size designed to the tune of 1200mm to 3000mm diameter with single diffuser. Introduced color tuning (Tunable White) with Dali and Bluetooth connectivity.
- 2019** “Elemental lighting luminaire designs were introduced; Concrete, Clay, Wood, Jute, Wicker, Borosilicate Glass, Cork, Acrylic, Thread and FRP.
- 2020** From 2018 to 2020, major projects were completed with Lunnark technical decorative luminaires, lighting up project space totaling 5 million square feet. Initiated the development of Circadian lighting technologies integrated with LunnArk technical decorative luminaries.



ABOUT US

Brand LunnArk® by Vtech Biotron Private Limited provides Innovative & Integrated LED lighting solutions that are characterized by exceptional design, while enhancing the integrity of Architect's and Lighting Designer's vision, incorporating benchmarked luminaire standards.

Founded by Mr. Srinivas Arkasalli, Electronics Engineer with more than 30 years of experience in the field of Electrical, Biomedical Management and Healthcare services. Managing teams and heading operations across the globe in various facility & Healthcare Management Organizations to deliver Quality products and Customer service solutions.


Vtech Biotron, a Brainchild was initiated by Mr. Srinivas, when LED lighting was in its nascent developmental stage. He foresaw sustainable value in technology that could provide efficiency and cost effectiveness, which can help in achieving sustainability in lighting industry fostering Make in India initiatives. With a big vision, a few hundred square-feet sized manufacturing unit in Rajajinagar Industrial town - Bangalore and with a passionate team is how Vtech Biotron Private Limited began its journey in providing LED lighting solutions.

“ Luminaire manufacturing is not about merely making fixtures with LEDs, it's a science in itself and needs detailed attention to factors that contribute to elevate human moods and create an environment that foster positive well-being ”

-Srinivas Arkasalli, CMD, LunnArk-Vtech Biotron

Having established our Design, Sales and Support reach in India, Africa and Middle East, we are committed to manufacture Internationally benchmarked luminaires and provide end-to-end lighting solutions for industrial, commercial, healthcare, sports, clean-room, educational institutions and also undertake key CUSTOMIZATION projects. Our strengths include an excellent team of Engineers and Technicians who are dedicated and driven by passion pushing the technical paradigm with ground breaking light fixtures. We offer products with LM 79, ERDA, BIS certifications. We at Vtech Biotron are fully capable of executing a project right from its Design Inception stage, Manufacturing, Supply, Installation and Handover.





Let the FASCINATING light fittings cast a spell



PUNE

LunnArk Luminaires



GEOMETRICAL SHAPES



AONA 6 AONA SLIM 10 AONA - C 14 AONA - C SLIM 16 ELIPSA 20 ELIPSA - C 22 QUADRAT 26



QUADRAT - C 28 QUADRAT - S 30 QUADRAT - SC 32 AAYATA 36 AAYATA - C 38 AAYATA - S 40 AAYATA - SC 44




TREKANT 48 TREKANT - C 50 TREKANT - S 52 TREKANT - SC 54 FEMKANT 56 FEMKANT - C 58 FEMKANT - S 60




FEMKANT - SC 62 ESAGONO 64 ESAGONO - C 66 ESAGONO - S 70 ESAGONO - SC 72 OPO 76



CLOUD.....78 LATICA.....79 FERILL 80 SOL 81



ROA.....84 ROA SLIM 86 ROA HEXA 87 ROA BLOCK 88



SPIKE 89

HANDMADE DESIGNER CUSTOMIZED SHAPES




GIANT-DRUM 92 CONICAL CLUSTER.....100 PYRAMID 108 CASO 110 KON 114 KRADO 116



TAGLIO 118 PASSO 120 PENTADOME 121 BIRDIE.....124 FALCON 125 HAT 128



FILO.....130



.....131



COOP 132 TAWB 133 CAGE.....134 CORAL.....135



TURBO 138 LOT 140 CONNECT 142 AMOEBA 144 CELLA 148

SPINNED PROFILES



DOME 152 ROLO 154 TURNO 156 SPINO 157 QILAR 158 GIRO 159 MINO 160



QUAY 162 LIFA 164 FUNELO 166 SIRO 167 BELL 168 ORA.....169

LINEAR PROFILES



LINIO 172



W 176



SERPENT 182

ELEMENTS


ACRYLIC



GLO 190



GLO MINI..... 191



ARETO 192



POLA 194



BAND 195



LAT 198




CUE 200




POLLAR 201



BLANC 204



BLANC - C 205



AKRYL 208

GLASS



OZO CLUSTER 212




DROP 214




RUA..... 215



NEST 216



PEARL 217



POP..... 218



POST 219



LY 220



OVAL 221



KRYT 222

FRP



IRIS 226



SKOF 230



KUBA 232



PLAST..... 233



SOLIS..... 236



WOOD



HALO 242



AGO 244




TORC 246



SPIN..... 247



DRU-SLIM..... 248



DRU-CURVE 249




HAZO 250




PI 252



SLIDE 254



PLAT..... 255



BOIS 256



FLOS 257

CORK



SUB 262



CODA 264



KORK 266



SURO 267



HOL 268



NEO..... 269



RING 270



MAXI 271

WICKER



OSI 274



WELLE 275



MESH 276



STOCK 277

JUTE



BOKIT 280



VEZEL 282



LANO 286



ZILE 287

THREAD



NIT 290



TRED..... 294



FIL 295

FABRIC



FABER..... 298

CONCRETE



DENSO..... 302

CADRO..... 304



ORBIT..... 306



RUSTY..... 305

ZANE..... 308

MOTIF 309

CLAY



SERA..... 312



LOY 314

ARGILE..... 315

TERRA..... 316

CLEAN ROOM



ZURI-B.....



..... 324



ZURI-T

326

GRID CEILING



TEGULAR 328




CLIP-IN 329




NURAY.....



..... 330



STRIPE.....



..... 332



TRAPEZOID 333

BADMINTON COURT LIGHT



LUMINA 320

COLOR CODES

FOR RESPECTIVE RAL COLORS





Tomato Red
RAL 3013

25



Light Pink
RAL 3015

26



Traffic Black
RAL 9017

27



Salmon Pink
RAL 3022

28



Blue Lilac
RAL 4005

29



Signal Violet
RAL 4008

30



Sapphire Blue
RAL 5003

31



Signal Blue
RAL 5005

32



Grey Blue
RAL 5008

33



Cobalt Blue
RAL 5013

34



Turquoise Blue
RAL 5018

35



Turquoise Green
RAL 6016

36



Yellow Green
RAL 6018

37



Pale Green
RAL 6021

38



Silver Grey
RAL 7001

39



Iron Grey
RAL 7011

40



Light Grey
RAL 7035

41



Silk Grey
RAL 7044

42



Ochre Brown
RAL 8001

43



Copper Brown
RAL 8004

44



Sepia Brown
RAL 8014

45



Mahogany Brown
RAL 8016

46



Pure White
RAL 9010

47



Traffic White
RAL 9016

48



Black Red
RAL 3007

49



Green Blue
RAL 5001

50



Perl Gold
RAL 1036

51



Perl Dark Grey
RAL 9023

52

COLOR CODES

FOR FIXTURES WITH DOUBLE COLORS (OUTER AND INNER)



ELECTRO-PLATING



CHROME
CR



GOLD
GP



SILVER
SL





COPPER
CP





BRASS
BR

WOOD TEXTURE CODES



CERAMIC TEXTURE CODES





 **LunnArk**

LIGHT INNOVATIONS AT ITS BEST



GEOMETRICAL

SHAPES

- CONVEYS IDEAS OR CONCEPTS
- SETS A MOOD OR EMOTION
- CREATES DEPTH
- CONNECTS CONTENT AND IMAGERY IN SPACE

GEOMETRIC PATTERNS ARE COLLECTION OF SHAPES, REPEATING OR ALTERED TO CREATE A COHESIVE DESIGN. GEOMETRIC DESIGNS IN LUMINAIRES GO BEYOND BASIC SHAPES TO TELL MORE STORIES AS DIFFERENT SHAPES CAN EVOKE DIFFERENT MEANINGS. THEY PROVIDE DEFINITION AND MEANING TO OUR ENVIRONMENT.

COMBINING THESE SHAPES IN DIFFERENT WAYS CAN ENTIRELY CREATE NEW MEANINGS. FOR EXAMPLE, CREATING SOMETHING OUT OF RECTANGLES AND TRIANGLES COULD EMPHASIZE A CALL TO RETURN TO TRADITION.

GEOMETRIC PATTERNS DONT HAVE TO BE SYMMETRICAL, SOMETIMES CREATING SOMETHING WHERE SHAPES AND LINES DIFFER ACROSS THE BOARD CAN CREATE A STRIKING EFFECT.

By use of MATHEMATICAL PRINCIPLES, ANCIENT DESIGNERS USED GEOMETRIC SHAPES TO COMMUNICATE IDEAS AND PROVIDE KNOWLEDGE ABOUT SCIENCE, RELIQUON AND HUMANITY. HENCE GEOMETRIC SHAPES HAVE BEEN PRESENT IN ART FOR CENTURIES.




Ø300mm → Ø450mm → Ø600mm → Ø900mm → Ø1200mm → Ø1500mm → Ø1800mm → Ø2100mm → Ø2400mm




20W	2000 LUMENS	GS01 X03 YZ## ##
30W	3000 LUMENS	GS01 X04 YZ## ##
40W	4000 LUMENS	GS01 X06 YZ## ##
60W	6000 LUMENS	GS01 X09 YZ## ##
100W	10000 LUMENS	GS01 X12 YZ## ##
120W	12000 LUMENS	GS01 X15 YZ## ##
150W	15000 LUMENS	GS01 X18 YZ## ##
200W	20000 LUMENS	GS01 X24 YZ## ##


PMMA Diffuser



PMMA Diffuser



Stretch Fabric Diffuser



Dimensions are in Millimeters (mm)

* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL

S -

SWITCH

D -

DALI

A -

ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

42 ● Silk Grey



S - Surface Mount



D - Direct

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR




* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL



NO OTHER GEOMETRIC SHAPE IS AS OMNIPRESENT AND PROFOUND IN NATURE AS THE CIRCLE. THE CIRCLE IS A UNIVERSAL SYMBOL WITH EXTENSIVE MEANING.

IT REPRESENTS TOTALITY, FEMININITY, STABILITY, WHOLENESS, ORIGINS, INFINITY, ETERNITY AND TIMELESSNESS. CIRCLES ARE ALSO OFTEN SEEN AS PROTECTIVE SYMBOLS.



SUSPENSION SYSTEM


For body with 450mm and below



For body with 600mm and below



For body more than 600mm





- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product




ENGINEERING COLLEGE LIBRARY - BENGALURU

AONA SLIM



THE SLIMMER THE BETTER.....
Looks more Classy with Slimmer Body

30W	3000 LUMENS	GS1S X04 YZ## ##
40W	4000 LUMENS	GS1S X06 YZ## ##
60W	6000 LUMENS	GS1S X09 YZ## ##
100W	10000 LUMENS	GS1S X12 YZ## ##
150W	15000 LUMENS	GS1S X18 YZ## ##
200W	20000 LUMENS	GS1S X24 YZ## ##



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING P - Pendant S - Surface Mount	LIGHT DISTRIBUTION D - Direct I - Indirect F - Direct & Indirect D - Direct	CONTROL S - SWITCH D - DALI A - ANALOG	CCT 27 - 2700K 30 - 3000K 40 - 4000K 57 - 5700K 65 - 6500K	COLOR 01 Signal White 02 Jet Black 03 Graphite Grey 04 Traffic Yellow 06 Traffic Red 07 Baby Blue 08 Grass Green 28 Salmon Pink
---	--	--	--	--


PRODUCT CODING

Select from options and Specify the CODE
 *REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR
 * Customization available on SIZE and POWER
 * Customized PAINT and POWDER COAT options available based on RAL

TUNABLE
3000K to 6000K


LUNNARK INITIATES AND DESIGNS NUMEROUS LIGHTING VARIANTS WHICH BRING LIFE AND ADDS VALUE TO AMBIENCE.

THESE LUMINAIRES WILL NOT ONLY SUFFICE THE CONVENTIONAL OBJECTIVE OF PROVIDING DESIRED LUMEN OUTPUT BUT WILL ALSO UPGRADE ENVIRONMENTS AND ELEVATE POSITIVE MOODS DUE TO AESTHETIC LIGHTING.






AESTHETIC LIGHTING SOLUTIONS FOR ANY AREA..




30W	2400 LUMENS	GS02 X04 YZ## ##
40W	3200 LUMENS	GS02 X06 YZ## ##
60W	4800 LUMENS	GS02 X09 YZ## ##
100W	8000 LUMENS	GS02 X12 YZ## ##
120W	9600 LUMENS	GS02 X15 YZ## ##
150W	12000 LUMENS	GS02 X18 YZ## ##
200W	16000 LUMENS	GS02 X24 YZ## ##

PMMA Diffuser




PMMA Diffuser



Dimensions are in Millimeters (mm)

PMMA Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant



S - Surface Mount

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect



D - Direct

CONTROL



S -



D -



A -

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red


08 ● Grass Green

32 ● Signal Blue



RINGS THAT ILLUMINATE...

Features:

- Circular Concentric Shape Housing
- Suspended or Customization available for surface mounting
- LEDs with Low Power Consumption
- Energy efficient
- Optional Dimmable with DALI signal
- PMMA Diffuser



SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

PRODUCT CODING

Select from options and Specify the CODE


*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

TUNABLE
3000K to 6000K

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL



.....





CONCENTRIC CIRCLES REPRESENT PROCESSES, INTER-RELATIONSHIPS, WHOLENESS AND A SYSTEMIC VIEW OF NATURE AND UNIVERSE. SHAPES WITH ROUNDED EDGES ARE SOFTER, SAFER AND APPROACHABLE.


SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

30W	2400 LUMENS	GS2S X04 YZ## ##
40W	3200 LUMENS	GS2S X06 YZ## ##
60W	4800 LUMENS	GS2S X09 YZ## ##
100W	8000 LUMENS	GS2S X12 YZ## ##
150W	12000 LUMENS	GS2S X18 YZ## ##

PMMA Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Grass Green

14 ● Oyster White



S - Surface Mount



D - Direct

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL




UNITY


**THE CIRCLE IS OFTEN USED IN A LOGO TO REPRESENT
UNITY, COMMITMENT AND LOVE.**

**CIRCLE INSIDE A SQUARE SHOWS TWO OPPOSITES
COMPOSED INTO ONE MOTIF,
A POTENTIAL METAPHOR FOR UNITY.**







20W	2000 LUMENS	GS03 X03 YZ###
30W	3000 LUMENS	GS03 X04 YZ###
40W	4000 LUMENS	GS03 X06 YZ###
60W	6000 LUMENS	GS03 X09 YZ###
100W	10000 LUMENS	GS03 X12 YZ###
120W	12000 LUMENS	GS03 X15 YZ###
150W	15000 LUMENS	GS03 X18 YZ###
200W	20000 LUMENS	GS03 X24 YZ###



* Mentioned Wattage and Lumens is for Direct Light Distribution

SUSPENSION SYSTEM



- Suspension Length is customizable
- Standard Length of 1 meter cable provided with product

OPTIONS AVAILABLE

MOUNTING



P - Pendant



S - Surface Mount

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect



D - Direct

CONTROL



S - SWITCH



D - DALI



A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

04 Traffic Yellow

05 Pure Orange

06 Traffic Red

07 Baby Blue

08 Grass Green

13 Concrete Grey

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER


* Customized PAINT and POWDER COAT options available based on RAL

TUNABLE
3000K to 6000K

SLANT IS THE NEW STYLE.....

Features:

- Elliptical Shape Housing
- Suspended or Surface mount
- Slant mounting option available
- LEDs with Low Power Consumption
- Energy Efficient
- Optional Dimmable with DALI signal
- PMMA Diffuser / Stretch fabric



ELIPSA-C




30W	2400 LUMENS	GS04 X04 YZ## ##
40W	3200 LUMENS	GS04 X06 YZ## ##
60W	4800 LUMENS	GS04 X09 YZ## ##

100W	8000 LUMENS	GS04 X12 YZ## ##
120W	9600 LUMENS	GS04 X15 YZ## ##

150W	12000 LUMENS	GS04 X18 YZ## ##
200W	16000 LUMENS	GS04 X24 YZ## ##

* Mentioned Wattage and Lumens is for Direct Light Distribution



OPTIONS AVAILABLE

MOUNTING



LIGHT DISTRIBUTION



CONTROL



CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

03 Graphite Grey

04 Traffic Yellow

05 Pure Orange

06 Traffic Red

07 Baby Blue

08 Grass Green



PRODUCT CODING


Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR



* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL





SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

CIRCLES HAVE NO BEGINNING OR END,

AS THEY REPRESENT life AND THE lifecycle.

**THE circle AND THE oval ARE COSMIC AND CELESTIAL IN NATURE
like THE MOON, EARTH AND SUN.**



VILLA BEDROOM - MANGALORE

LunnArk Luminaires

QUADRAT



20W	2000 LUMENS	GS05 X03 YZ## ##
30W	3000 LUMENS	GS05 X04 YZ## ##



40W	4000 LUMENS	GS05 X06 YZ## ##
60W	6000 LUMENS	GS05 X09 YZ## ##
100W	10000 LUMENS	GS05 X12 YZ## ##

150W	15000 LUMENS	GS05 X18 YZ## ##
200W	20000 LUMENS	GS05 X24 YZ## ##

PMMA Diffuser


PMMA Diffuser

Stretch Fabric Diffuser





Dimensions are in Millimeters (mm)

* Mentioned Wattage and Lumens is for Direct Light Distribution





SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

OPTIONS AVAILABLE

MOUNTING



P - Pendant



S - Surface Mount

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect



D - Direct

CONTROL



S -



D -



A -

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Grass Green

PRODUCT CODING

Select from options and Specify the CODE



*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL



QUADRAT-C




**When the opposite sides of a luminaire mirror each other,
it evokes a sense of comfort and trust in the viewer.**

**Symmetrical designs are comforting to our brains as they evoke trust
and because they feel familiar.**



**They give a vibe of balance and safety. They feel like they were
purposely constructed to put us at ease.**






- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product



SUSPENSION SYSTEM



30W	2400 LUMENS	GS06 X04 YZ## ##	PMMA Diffuser
40W	3200 LUMENS	GS06 X06 YZ## ##	
60W	4800 LUMENS	GS06 X09 YZ## ##	PMMA Diffuser
100W	8000 LUMENS	GS06 X12 YZ## ##	
120W	9600 LUMENS	GS06 X15 YZ## ##	
150W	12000 LUMENS	GS06 X18 YZ## ##	PMMA Diffuser
200W	16000 LUMENS	GS06 X24 YZ## ##	



Dimensions are in Millimeters (mm)

* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL



S - SWITCH



D - DALI



A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 03 ● Graphite Grey
- 04 ● Traffic Yellow
- 05 ● Pure Orange
- 06 ● Traffic Red
- 07 ● Baby Blue
- 08 ● Grass Green



S - Surface Mount



D - Direct

PRODUCT CODING

Select from options and Specify the CODE


*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR




* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL



QUADRAT-S



THE SQUARE IN BUDDHISM SYMBOLISES BEING EARTHBOUND. HOWEVER, WHEN PLACED INSIDE A CIRCLE – TOGETHER THEY REPRESENT THE CONNECTION BETWEEN THE HUMAN AND THE DIVINE (WHICH SYMBOLISES ETERNAL WHOLE).




SUSPENSION SYSTEM




- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

20W	2000 LUMENS	GS07 X03 YZ## ##
30W	3000 LUMENS	GS07 X04 YZ## ##
40W	4000 LUMENS	GS07 X06 YZ## ##
60W	6000 LUMENS	GS07 X09 YZ## ##
100W	10000 LUMENS	GS07 X12 YZ## ##
120W	12000 LUMENS	GS07 X15 YZ## ##
150W	15000 LUMENS	GS07 X18 YZ## ##
200W	20000 LUMENS	GS07 X24 YZ## ##


PMMA Diffuser



PMMA Diffuser



Stretch Fabric Diffuser



Dimensions are in Millimeters (mm)

* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL



S -



D -



A -

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Yellow Green



S - Surface Mount



D - Direct

PRODUCT CODING

Select from options and Specify the CODE


*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER


* Customized PAINT and POWDER COAT options available based on RAL



QUADRAT-SC



30W	2400 LUMENS	GS08 X04 YZ## ##	PMMA Diffuser
40W	3200 LUMENS	GS08 X06 YZ## ##	PMMA Diffuser
60W	4800 LUMENS	GS08 X09 YZ## ##	PMMA Diffuser
100W	8000 LUMENS	GS08 X12 YZ## ##	PMMA Diffuser
120W	9600 LUMENS	GS08 X15 YZ## ##	PMMA Diffuser
150W	12000 LUMENS	GS08 X18 YZ## ##	PMMA Diffuser
200W	16000 LUMENS	GS08 X24 YZ## ##	PMMA Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant



S - Surface Mount

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect



D - Direct

CONTROL



S - SWITCH



D - DALI



A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

03 Graphite Grey

04 Traffic Yellow

05 Pure Orange

07 Baby Blue

08 Grass Green

49 Black Red

PRODUCT CODING

Select from options and Specify the CODE


*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER



* Customized PAINT and POWDER COAT options available based on RAL

TUNABLE
3000K to 6000K

SQUARES ARE ALSO SEEN AS PARTICULARLY STABLE AND ORDERLY, STANDING FIRM FOUNDATIONS, BOTH METAPHORICALLY AND LITERALLY.



SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product




**Did you know what round shapes
signify ..?**



COWORK SPACING MEETING ROOM - CHENNAI


LunnArk Luminares



**ROUND SHAPES TEND TO SEND A
POSITIVE EMOTIONAL MESSAGE OF
HARMONY AND PROTECTION**

www.lunnark.com

ABLE
ACCORD
YEARN
AUTHENTIC
TASTEFUL
ATTRACTIVE



RECTANGLE SHAPE REPRESENT STABILITY. IT ALSO REPRESENTS HONESTY AND SOLIDITY. WE TRUST THE SHAPE BECAUSE IT FEELS DEPENDABLE AND SAFE.

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL



S - SWITCH



D - DALI



A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

03 Graphite Grey

04 Traffic Yellow

05 Pure Orange

06 Traffic Red

07 Baby Blue

08 Grass Green

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER




* Customized PAINT and POWDER COAT options available based on RAL

TUNABLE
3000K to 6000K

40W	4000 LUMENS	GS09 X06 YZ## ##
60W	6000 LUMENS	GS09 X09 YZ## ##
100W	10000 LUMENS	GS09 X12 YZ## ##
150W	15000 LUMENS	GS09 X18 YZ## ##
200W	20000 LUMENS	GS09 X24 YZ## ##

* Mentioned Wattage and Lumens is for Direct Light Distribution

SUSPENSION SYSTEM




- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

AAAYATA-C





40W	3200 LUMENS	GS10 X06 YZ## ##
60W	4800 LUMENS	GS10 X09 YZ## ##
100W	8000 LUMENS	GS10 X12 YZ## ##
150W	12000 LUMENS	GS10 X18 YZ## ##
200W	16000 LUMENS	GS10 X24 YZ## ##

PMMA Diffuser




* Mentioned Wattage and Lumens is for Direct Light Distribution

SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product



OPTIONS AVAILABLE

MOUNTING



P - Pendant



S - Surface Mount

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect



D - Direct

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

08 ● Grass Green

14 ● Oyster White

35 ● Turquoise Blue

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER



* Customized PAINT and POWDER COAT options available based on RAL






**CREATIVITY
AT
WORK**

IT HUDDLE SPACE




SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product



40W	4000 LUMENS	GS11 X06 YZ## ##
60W	6000 LUMENS	GS11 X09 YZ## ##
100W	10000 LUMENS	GS11 X12 YZ## ##
150W	15000 LUMENS	GS11 X18 YZ## ##
200W	20000 LUMENS	GS11 X24 YZ## ##



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



LIGHT DISTRIBUTION



CONTROL



CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Grass Green

13 ● Concrete Grey



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER



* Customized PAINT and POWDER COAT options available based on RAL



RECTANGLE is A TRUSTED FAMILIAR SHAPE THAT
REPRESENTS STABILITY.
IT ALSO REPRESENTS HONESTY AND SOLIDITY.




AAAYATA-SC



40W	3200 LUMENS	GS12 X06 YZ## ##
60W	4800 LUMENS	GS12 X09 YZ## ##
100W	8000 LUMENS	GS12 X12 YZ## ##


PMMA Diffuser



Dimensions are in Millimeters (mm)

150W	12000 LUMENS	GS12 X18 YZ## ##
200W	16000 LUMENS	GS12 X24 YZ## ##

PMMA Diffuser



Dimensions are in Millimeters (mm)

* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL



S -

SWITCH



D -

DALI



A -

ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ● Signal White

02 ○ Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow



05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Grass Green

SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

TUNABLE
3000K to 6000K

**Did you know what SQUARE SHAPES
INDICATE ..?**


**SHAPES WITH SHARP LINES AND EDGES,
DEPICT STRENGTH AND PRESENCE.**






Customized Diffuser Prints of 3m Laser Inkjet Translate are available

600 SQUARE FEET SKY CEILING - IT PARK, HYDERABAD (2014-2015)

TREKANT



20W	2000 LUMENS	GS13 X03 YZ## ##	PMMA Diffuser
30W	3000 LUMENS	GS13 X04 YZ## ##	
40W	4000 LUMENS	GS13 X06 YZ## ##	PMMA Diffuser
60W	6000 LUMENS	GS13 X09 YZ## ##	
100W	10000 LUMENS	GS13 X12 YZ## ##	
150W	15000 LUMENS	GS13 X18 YZ## ##	Stretch Fabric Diffuser
200 W	20000 LUMENS	GS13 X24 YZ## ##	



Dimensions are in Millimeters (mm)

* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



LIGHT DISTRIBUTION



CONTROL



CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 Signal White
- 02 Jet Black
- 04 Traffic Yellow
- 06 Traffic Red
- 07 Baby Blue
- 10 Fern Green
- 21 Salmon Orange

TUNABLE
3000K to 6000K


PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL







VILLA LIVINGROOM


THE TRIANGLE, MEANWHILE, CAN SUGGEST ACTION, BUT MIGHT ALSO APPEAR BALANCED, ROOTED AND SOLID LIKE MOUNTAINS OR AN EGYPTIAN PYRAMID. TRIANGLE SHAPES CAN LOOK AS RUGGED, AGGRESSIVE AND INFUSE THEIR AMBIENCE WITH ENERGY.

TREKANT-C




30W	2400 LUMENS	GS14 X04 YZ### ##
40W	3200 LUMENS	GS14 X06 YZ### ##
60W	4800 LUMENS	GS14 X09 YZ### ##
100W	8000 LUMENS	GS14 X12 YZ### ##
150W	12000 LUMENS	GS14 X18 YZ### ##
200W	16000 LUMENS	GS14 X24 YZ### ##

PMMA Diffuser




PMMA Diffuser



Dimensions are in Millimeters (mm)

PMMA Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL



S - SWITCH



D - DALI



A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Grass Green



S - Surface Mount



D - Direct

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL








THE PERFECT FRAME IN PHYSICAL STRUCTURE

TRIANGLE IS THE MOST STABLE STRUCTURE BECAUSE FORCES ON TRIANGLE ARE DISTRIBUTED EVENLY ALONG ITS THREE SIDES.

WHEN POINTING UP, THEY REPRESENT STABILITY AND POWER.



SUSPENSION SYSTEM




- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

TREKANT-S




20W	2000 LUMENS	GS15 X03 YZ## ##
30W	3000 LUMENS	GS15 X04 YZ## ##
40W	4000 LUMENS	GS15 X06 YZ## ##

60W	6000 LUMENS	GS15 X09 YZ## ##
100W	10000 LUMENS	GS15 X12 YZ## ##

150W	15000 LUMENS	GS15 X18 YZ## ##
200W	20000 LUMENS	GS15 X24 YZ## ##

PMMA Diffuser
PMMA Diffuser
Stretch Fabric Diffuser




Dimensions are in Millimeters (mm)

* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING	LIGHT DISTRIBUTION	CONTROL	CCT	COLOR
P - Pendant	D - Direct	S - SWITCH	27 - 2700K	01 Signal White
	I - Indirect	D - DALI	30 - 3000K	02 Jet Black
	F - Direct & Indirect	A - ANALOG	40 - 4000K	03 Graphite Grey
			57 - 5700K	04 Traffic Yellow
			65 - 6500K	05 Pure Orange
S - Surface Mount	D - Direct	TUNABLE 3000K to 6000K		07 Baby Blue
				08 Grass Green
				49 Black Red



PRODUCT CODING
Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER
* Customized PAINT and POWDER COAT options available based on RAL

TREKANT-SC



30W 2400 LUMENS GS16 X04 YZ## ##

40W 3200 LUMENS GS16 X06 YZ## ##


60W 4800 LUMENS GS16 X09 YZ## ##

100W 8000 LUMENS GS16 X12 YZ## ##


150W 12000 LUMENS GS16 X18 YZ## ##

200W 16000 LUMENS GS16 X24 YZ## ##


PMMA
Diffuser



PMMA
Diffuser



PMMA
Diffuser



Dimensions are in Millimeters (mm)

* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL

S -

SWITCH

D -

DALI

A -

ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Grass Green

46 ● Mahogany Brown



S - Surface Mount



D - Direct

PRODUCT CODING

Select from options and Specify the CODE



*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL




SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length 1M Cable provided with product



FEMKANT




30W	3000 LUMENS	GS17 X04 YZ## ##
40W	4000 LUMENS	GS17 X06 YZ## ##
60W	6000 LUMENS	GS17 X09 YZ## ##
100W	10000 LUMENS	GS17 X12 YZ## ##

150W	15000 LUMENS	GS17 X18 YZ## ##
200W	20000 LUMENS	GS17 X24 YZ## ##

PMMA Diffuser

Stretch Fabric Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant


LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL



S - SWITCH



D - DALI



A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

03 Graphite Grey

04 Traffic Yellow

05 Pure Orange

07 Baby Blue

08 Grass Green

30 Signal Violet



S - Surface Mount



D - Direct

PRODUCT CODING


Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR




* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL





SUSPENSION SYSTEM




- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

FEMKANT-C



30W	2400 LUMENS	GS18 X04 YZ## ##
40W	3200 LUMENS	GS18 X06 YZ## ##
60W	4800 LUMENS	GS18 X09 YZ## ##
100W	8000 LUMENS	GS18 X12 YZ## ##
150W	12000 LUMENS	GS18 X18 YZ## ##
200W	16000 LUMENS	GS18 X24 YZ## ##

PMMA Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL

S -

SWITCH

D -

DALI

A -

ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Grass Green



S - Surface Mount



D - Direct

PRODUCT CODING


Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER



* Customized PAINT and POWDER COAT options available based on RAL





NOT ONLY IS A PENTAGON FREQUENTLY USED IN BASIC GEOMETRY, IT IS A SHAPE USEFUL IN ARCHITECTURE AND FOUND THROUGHOUT THE NATURAL WORLD. THIS WAS A SHAPE WHICH ALSO ENABLED EFFICIENT NUMBER OF DEFENSIVE BASTIONS PROVIDING FULL COVERAGE OF THE BATTLE FIELD.

SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product


FEMKANT-S



30W	3000 LUMENS	GS19 X04 YZ## ##
40W	4000 LUMENS	GS19 X06 YZ## ##
60W	6000 LUMENS	GS19 X09 YZ## ##
100W	10000 LUMENS	GS19 X12 YZ## ##
150W	15000 LUMENS	GS19 X18 YZ## ##
200W	20000 LUMENS	GS19 X24 YZ## ##

PMMA
Diffuser

Stretch
Fabric
Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL

S -

SWITCH

D -

DALI

A -

ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

04 Traffic Yellow

05 Pure Orange

06 Traffic Red

07 Baby Blue

08 Grass Green

51 Perl Gold



S - Surface Mount



D - Direct

PRODUCT CODING

Select from options and Specify the CODE



*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER



* Customized PAINT and POWDER COAT options available based on RAL

TUNABLE

3000K to 6000K




SUSPENSION SYSTEM




- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

FEMKANT-SC



30W	2400 LUMENS	GS20 X04 YZ## ##
40W	3200 LUMENS	GS20 X06 YZ## ##
60W	4800 LUMENS	GS20 X09 YZ## ##
100W	8000 LUMENS	GS20 X12 YZ## ##
150W	12000 LUMENS	GS20 X18 YZ## ##
200W	16000 LUMENS	GS20 X24 YZ## ##

PMMA Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL

S -



D -



A -



CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Grass Green



S - Surface Mount



D - Direct

PRODUCT CODING




Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR



* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL





SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

ESAGONO




20W	2000 LUMENS	GS21 X03 YZ## ##
30W	3000 LUMENS	GS21 X04 YZ## ##
40W	4000 LUMENS	GS21 X06 YZ## ##
60W	6000 LUMENS	GS21 X09 YZ## ##
100W	10000 LUMENS	GS21 X12 YZ## ##

150W	15000 LUMENS	GS21 X18 YZ## ##
200W	20000 LUMENS	GS21 X24 YZ## ##

PMMA Diffuser

Stretch Fabric Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL

S -



D -



A -



CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Grass Green



S - Surface Mount



D - Direct

TUNABLE
3000K to 6000K


PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL






IT PARK - BENGALURU




ESAGONO-C



30W	2400 LUMENS	GS22 X04 YZ## ##
40W	3200 LUMENS	GS22 X06 YZ## ##
60W	4800 LUMENS	GS22 X09 YZ## ##
100W	8000 LUMENS	GS22 X12 YZ## ##
150W	12000 LUMENS	GS22 X18 YZ## ##
200W	16000 LUMENS	GS22 X24 YZ## ##

PMMA Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL



CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

03 Graphite Grey

05 Pure Orange

06 Traffic Red

07 Baby Blue

08 Grass Green

51 Perl Gold



S - Surface Mount



D - Direct

TUNABLE
3000K to 6000K


PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL





COWORK SPACING BREAKOUT AREA



HEXAGON REPRESENTS UNITY AND BALANCE.
IT TEACHES YOU MORE, EVERYTIME YOU LOOK AT IT AND REFLECT ON IT.


THE HEXAGON IS THE CONNECTING CENTER OF
UNIVERSAL COHERENCE

ESAGONO-S



20W	2000 LUMENS	GS23 X03 YZ## ##
30W	3000 LUMENS	GS23 X04 YZ## ##
40W	4000 LUMENS	GS23 X06 YZ## ##
60W	6000 LUMENS	GS23 X09 YZ## ##
100W	10000 LUMENS	GS23 X12 YZ## ##
150W	15000 LUMENS	GS23 X18 YZ## ##
200W	20000 LUMENS	GS23 X24 YZ## ##



* Mentioned Wattage and Lumens is for Direct Light Distribution



PMMA Diffuser

Dimensions are in Millimeters (mm)

SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL

S -

SWITCH

D -

DALI

A -

ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange

06 ● Traffic Red

07 ● Baby Blue

08 ● Grass Green



S - Surface Mount



D - Direct

PRODUCT CODING



Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL






THE HEXAGON IS THE UNIVERSAL AVERAGE, AND HAS THE BEST TORQUE FOR MECHANICAL ENGINEERING.




HOSPITAL LOBBY - KOLKATA

ESAGONO-SC



30W	2400 LUMENS	GS24 X04 YZ## ##
40W	3200 LUMENS	GS24 X06 YZ## ##
60W	4800 LUMENS	GS24 X09 YZ## ##
100W	8000 LUMENS	GS24 X12 YZ## ##
150W	12000 LUMENS	GS24 X18 YZ## ##
200W	16000 LUMENS	GS24 X24 YZ## ##

PMMA Diffuser



* Mentioned Wattage and Lumens is for Direct Light Distribution

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

03 Graphite Grey

04 Traffic Yellow

05 Pure Orange

06 Traffic Red

07 Baby Blue

08 Grass Green



S - Surface Mount



D - Direct

TUNABLE
3000K to 6000K


PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL



THE HEXAGON ON SATURN?

YOU MAY HAVE HEARD OF THE RED SPOT ON JUPITER, A MASSIVE STORM. IT'S ROUGHLY OVAL-SHAPED, WHICH WOULD MAKE SENSE FOR A STORM OR WEATHER PATTERN. YOU MAY NOT HAVE HEARD, HOWEVER, THAT ON THE NORTH POLE OF SATURN, IS A MASSIVE HEXAGONAL STORM, LARGE ENOUGH TO FIT THE PLANET EARTH.


THE ASSOCIATIONS ARE POWERFUL.







30W	2400 LUMENS	GS25 P04 DZ## ##
40W	3200 LUMENS	GS25 P06 DZ## ##
60W	4800 LUMENS	GS25 P09 DZ## ##
100W	8000 LUMENS	GS25 P12 DZ## ##
150W	12000 LUMENS	GS25 P18 DZ## ##
200W	16000 LUMENS	GS25 P24 DZ## ##

PMMA Diffuser



SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 03 ● Graphite Grey
- 04 ● Traffic Yellow
- 05 ● Pure Orange
- 06 ● Traffic Red
- 07 ● Baby Blue
- 08 ● Grass Green

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE


*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL




CLOUD




40W	4000 LUMENS	GS26 X06 YZ## ##
60W	6000 LUMENS	GS26 X09 YZ## ##
100W	10000 LUMENS	GS26 X12 YZ## ##
40W	3200 LUMENS	GS27 X06 YZ## ##
60W	4800 LUMENS	GS27 X09 YZ## ##
100W	8000 LUMENS	GS27 X12 YZ## ##

* Mentioned Wattage and Lumens is for Direct Light Distribution

PMMA Diffuser





PMMA Diffuser



Dimensions are in Millimeters (mm)

Height available in 40mm, 60mm & 100mm

SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product

OPTIONS AVAILABLE

MOUNTING



P - Pendant

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect

CONTROL



S -



D -



A -

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

04 ● Traffic Yellow

05 ● Pure Orange



S - Surface Mount



D - Direct

PRODUCT CODING

Select from options and Specify the CODE




*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL


TUNABLE
3000K to 6000K

LATICA



40W	4000 LUMENS	GS28 P06 DZ## ##
60W	6000 LUMENS	GS28 P09 DZ## ##
100W	10000 LUMENS	GS28 P12 DZ## ##
150W	15000 LUMENS	GS28 P18 DZ## ##


PMMA Diffuser



Dimensions are in Millimeters (mm)



40W	3200 LUMENS	GS29 P06 DZ## ##
60W	4800 LUMENS	GS29 P09 DZ## ##
100W	8000 LUMENS	GS29 P12 DZ## ##
150W	12000 LUMENS	GS29 P18 DZ## ##

PMMA Diffuser



Height available in 40mm, 60mm & 100mm

SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product



OPTIONS AVAILABLE

CONTROL	CCT	COLOR
S - SWITCH	27 - 2700K	01 ○ Signal White
D - DALI	30 - 3000K	02 ● Jet Black
A - ANALOG	40 - 4000K	03 ● Graphite Grey
	57 - 5700K	04 ● Traffic Yellow
	65 - 6500K	23 ● Ruby Red

PRODUCT CODING


Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER


* Customized PAINT and POWDER COAT options available based on RAL

FERILL




40W	3200 LUMENS	GS30 P06 DZ## ##
60W	4800 LUMENS	GS30 P09 DZ## ##
100W	8000 LUMENS	GS30 P12 DZ## ##
150W	12000 LUMENS	GS30 P18 DZ## ##
200W	16000 LUMENS	GS30 P24 DZ## ##

PMMA Diffuser





Stretch Fabric Diffuser



Dimensions are in Millimeters (mm)

SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length 1M Cable provided with product

TUNABLE
3000K to 6000K

OPTIONS AVAILABLE

MOUNTING



P - Pendant



S - Surface Mount

LIGHT DISTRIBUTION



D - Direct



I - Indirect



F - Direct & Indirect



D - Direct

CONTROL



S - SWITCH



D - DALI



A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

03 Graphite Grey

04 Traffic Yellow

05 Pure Orange

06 Traffic Red


07 Baby Blue

08 Grass Green


SOL



20W
1800 LUMENS
GS31 X04 YZ## ##




80W
7200 LUMENS
GS31 X12 YZ## ##




30W
2700 LUMENS
GS31 X06 YZ## ##

PMMA
Diffuser




200W
18000 LUMENS
GS31 X18 YZ## ##


PMMA
Diffuser



50W
4500 LUMENS
GS31 X09 YZ## ##





150W
13500 LUMENS
GS31 X24 YZ## ##



Dimensions are in Millimeters (mm)

SUSPENSION SYSTEM



- Suspension Length is customisable
- Standard Length of 1 meter cable provided with product


PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Y - LIGHT DISTRIBUTION, Z - CONTROL, #### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL



**LIGHT THAT PUTS SMILE
ON YOUR FACE**

BECAUSE

light MATTERS ...



ROA



15W	1200 LUMENS	EX1A X01 DZ## ##	
15W	1200 LUMENS	EX1A X02 DZ## ##	
15W	1200 LUMENS	EX1A X03 DZ## ##	

20W	1600 LUMENS	EX1B X01 DZ## ##		Dimensions are in Millimeters (mm)
20W	1600 LUMENS	EX1B X02 DZ## ##		
20W	1600 LUMENS	EX1B X03 DZ## ##		

OPTIONS AVAILABLE

MOUNTING



CONTROL



CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 03 ● Graphite Grey
- 13 ● Concrete Grey
- 44 ● Copper Brown
- 51 ● Perl Gold

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




ROA



15W 1200 LUMENS EX2B P03 DZ### ##

15W 1200 LUMENS EX2B P04 DZ### ##



15W 1200 LUMENS EX2C P03 DZ### ##

15W 1200 LUMENS EX2C P04 DZ### ##



15W 1200 LUMENS EX2A P03 DZ### ##

15W 1200 LUMENS EX2A P04 DZ### ##



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

03 Graphite Grey

26 Light Pink

45 Sepia Brown

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




LED Module

ROA SLIM



10W	700 LUMENS	EX3A P03 DZ## ##
10W	700 LUMENS	EX3A P04 DZ## ##
10W	700 LUMENS	EX3A P06 DZ## ##
10W	700 LUMENS	EX3A P09 DZ## ##



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL



ROA HEXA

NEW LED


IP40

CCT
3000K, 4000K,
5700K, 6500K

CR1
85



10W	700 LUMENS	EX3B P03 DZ## ##
10W	700 LUMENS	EX3B P04 DZ## ##
10W	700 LUMENS	EX3B P06 DZ## ##
10W	700 LUMENS	EX3B P09 DZ## ##



OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG


CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 03 ● Graphite Grey
- 13 ● Concrete Grey
- 23 ● Ruby Red
- 24 ● Beige Red

LIGHT SOURCE




ROA BLOCK

NEW LED

IP40 CCT 3000K, 4000K, 5700K, 6500K CR1 85



- 10W 700 LUMENS EX3C P03 DZ## ##
- 10W 700 LUMENS EX3C P04 DZ## ##
- 10W 700 LUMENS EX3C P06 DZ## ##
- 10W 700 LUMENS EX3C P09 DZ## ##



Dimensions are in Millimeters (mm)

TUNABLE
3000K to 6000K

SPIKE



500 / 750 / 1000

Ø30



LED
IP40
CCT
3000K, 4000K, 5700K, 6500K
CRI
85

5W	200 LUMENS	EX04 P05 DZ### ##
5W	200 LUMENS	EX04 P07 DZ### ##
5W	200 LUMENS	EX04 P10 DZ### ##

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

13 ● Concrete Grey

23 ● Ruby Red

38 ● Pale Green

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



LED Module



Handmade


**DESIGNER-CUSTOMIZED
SHAPES**

GIANT DRUM



60W	4800 LUMENS	DS01 P12 DZ## ##
80W	6400 LUMENS	DS01 P15 DZ## ##
100W	8000 LUMENS	DS01 P18 DZ## ##
120W	9600 LUMENS	DS01 P21 DZ## ##
140W	11200 LUMENS	DS01 P24 DZ## ##

Stretch Fabric Diffuser



OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 03 ● Graphite Grey
- 06 ● Traffic Red
- 17 ● Sulfur Yellow
- 21 ● Salmon Orange
- 35 ● Turquoise Blue

PRODUCT CODING

Select from options and Specify the CODE


*REPLACE Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER


* Customized PAINT and POWDER COAT options available based on RAL



LIGHT SOURCE



LED Module



LunnArk Luminaires





GIANT DRUM



CORPORATE OFFICE LIFT LOBBY
- PUNE, INDIA



CONICAL CLUSTER






UP-DOWN, DIRECT-INDIRECT, DIFFUSED SPINNED CONICAL CLUSTER






- Aluminium conical fixtures with rigid linear or circular frame to hold the cluster creates a unique look all together.
- The conical fixture can be tilted upto 150 degrees on either sides.
- The model shown is a cluster of 4 conical lamps.
- Also available in cluster of 6 and 8 cones on request.
- Ideal for direct and indirect lighting







Dimensions are in Millimeters (mm)




40W
3200 LUMENS
DS02 P10 FZ## ##





60W
4800 LUMENS
DS02 P15 FZ## ##



80W
6400 LUMENS
DS02 P20 FZ## ##



120W
9600 LUMENS
DS02 P30 FZ## ##



TUNABLE
3000K to 6000K

LIGHT SOURCE



LED Module





LIGHT SOURCE

LED Module

60W	4800 LUMENS	DS03 P06 F### ##
80W	6400 LUMENS	DS03 P09 F### ##
120W	9600 LUMENS	DS03 P12 F### ##

** 3, 4 & 6 cones for Ø 600, 900 & 1200 respectively

OPTIONS AVAILABLE

CONTROL	CCT	COLOR
S - SWITCH	27 - 2700K	02 - Jet Black
D - DALI	30 - 3000K	03 - Graphite Grey
A - ANALOG	40 - 4000K	14 - Oyster White
	57 - 5700K	26 - Light Pink
	65 - 6500K	

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL


TUNABLE
3000K to 6000K

www.lunnark.com

Dimensions are in Millimeters (mm)

PYRAMID


NEW
LED
IP40
CCT
3000K, 4000K,
5700K, 6500K
CR1
85



Dimensions are in Millimeters (mm)

20W	1600 LUMENS	DS04 P04 DZ### ##
30W	2400 LUMENS	DS04 P06 DZ### ##
40W	3200 LUMENS	DS04 P09 DZ### ##

*Height of all sides and width of all sides are equal respectively



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

02 ● Jet Black

14 ○ Oyster White

51 ● Perl Gold

52 ○ Perl Dark Grey

TUNABLE

3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



LED Module



CASO



IP40 CCT 3000K, 4000K, 5700K, 6500K CR1 85




300




8W
320 LUMENS
DS05 P03 DS###

450



16W
640 LUMENS
DS05 P04 DS###

600



24W
960 LUMENS
DS05 P06 DS###

750



32W
1280 LUMENS
DS05 P07 DS###

Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

27 - 2700K
30 - 3000K
40 - 4000K
57 - 5700K
65 - 6500K

COLOR

02 ● Jet Black
14 ● Oyster White
51 ● Perl Gold
52 ● Perl Dark Grey

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




Filament Lamp





CREATE AN ILLUSION....

Single or series of filament lamps in glass casing with fabricated aluminium metal frame creates an illusion with multiple reflection on glass surface.







EXECUTIVE LOUNGE - IT PARK - BANGALORE



9W 540 LUMENS DS06 P03 DS## ##



12W 720 LUMENS DS06 P04 DS## ##



15W 900 LUMENS DS06 P06 DS## ##

Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to lamp

OPTIONS AVAILABLE

CCT	COLOR	OUTER COLOR	INNER COLOR
27 - 2700K	AI	Signal White	Yellow Green
30 - 3000K	AK	Signal White	Sulfur Yellow
40 - 4000K	AD	Signal White	Perl Gold
57 - 5700K	AJ	Signal White	Turquoise Blue
65 - 6500K	BI	Jet Black	Yellow Green
	BK	Jet Black	Sulfur Yellow
	BD	Jet Black	Perl Gold
	BJ	Jet Black	Turquoise Blue

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ## ## - CCT & COLOR

- * Control and Tunable options are available only with the choice of LED module
- * Outer and inner color options are not applicable for fixtures with diffuser
- * Customization available on SIZE and POWER
- * Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS










WAITING LOBBY, CHENNAI


KRADO



Diffuser option 1



Diffuser option 2



SUSPENSION SYSTEM

For 450mm Diameter and below




For 600mm Diameter and above



Suspended lamp in Aluminium body with transparent Acrylic Formed Diffuser.
The height of Diffuser can be same as Metal frame or lesser, depending on Customer requirement.

30W	2400 LUMENS	DS07 P06 DZ### ##
40W	3200 LUMENS	DS07 P08 DZ### ##
60W	4800 LUMENS	DS07 P10 DZ### ##

Formed Acrylic Diffuser



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

21 ● Salmon Orange

35 ● Turquoise Blue



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE





12W 960 LUMENS DS8A P02 DS## ##



12W 960 LUMENS DS8C P02 DS## ##



9W 960 LUMENS DS8D P02 DS## ##



12W 960 LUMENS DS8B P02 DS## ##

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K


COLOR

- 02 ● Jet Black
- 03 ● Graphite Grey
- 14 ○ Oyster White
- 17 ● Sulfur Yellow
- 20 ● Vermilion
- 35 ● Turquoise Blue

LIGHT SOURCE



TAGLIO



Dimensions are in Millimeters (mm)

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ### - CCT & COLOR


* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

PASSO



10W 700 LUMENS DS09 P06 DZ## ##



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

02 ● Jet Black

14 ○ Oyster White

51 ● Perl Gold

52 ● Perl Dark Grey

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR


* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



PENTA DOME



Dimensions are in Millimeters (mm)

30W	2400 LUMENS	DS10 P05 DZ### ##
40W	3200 LUMENS	DS10 P07 DZ### ##

*Given Wattage and Lumens are with respect to LED module with Diffuser

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 03 ● Graphite Grey
- 19 ● Curry

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### ## - CCT & COLOR

- * Control and Tunable options are available only with the choice of LED module
- * Customization available on SIZE and POWER
- * Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS




**FIT IN THE RIGHT LIGHT TO
STAND OUT !!**




BIRDIE

NEW LED IP40 CCT 3000K, 4000K, 5700K, 6500K CRI 85



05W 300 LUMENS DS11 P06 DS###



05W 300 LUMENS DS12 P04 DS###

Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 03 ● Graphite Grey

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



LED Module

FALCON




FALCON

12W 960 LUMENS DS13 P09 DS###

20W 1600 LUMENS DS13 P12 DS###




Dimensions are in Millimeters (mm)





- A rigid suspension rod with Tiltable Fixation System is provided.
- Wing shaped metal body has LED light engine on either side with the option of diffused or spot light.
- Inner surface and outer surface of the body are provided with different colour options.



OPTIONS AVAILABLE

CCT	COLOR	OUTER COLOR	INNER COLOR
27 - 2700K	AK	Signal White	Sulfer Yellow
30 - 3000K	AH	Signal White	Traffic Red
40 - 4000K	AL	Signal White	Baby Blue
57 - 5700K	AI	Signal White	Yellow Green
65 - 6500K	BK	Jet Black	Traffic Yellow
	BH	Jet Black	Traffic Red
	BL	Jet Black	Baby Blue
	BI	Jet Black	Yellow Green

PRODUCT CODING


Select from options and Specify the CODE

*REPLACE ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE






**WE PRIORITIZE QUALITY FIXTURES
BECAUSE
THEY PLAY MAJOR ROLE IN
DESIGN OF
VISUAL ENVIRONMENT**

HAT



10W	700 LUMENS	DS14 P06 DZ### ##
15W	1050 LUMENS	DS14 P08 DZ### ##
20W	1400 LUMENS	DS14 P10 DZ### ##



OPTIONS AVAILABLE

CONTROL	CCT	COLOR
S - SWITCH	27 - 2700K	02 ● Jet Black
D - DALI	30 - 3000K	03 ● Graphite Grey
A - ANALOG	40 - 4000K	14 ○ Oyster White
	57 - 5700K	51 ● Perl Gold
	65 - 6500K	52 ○ Perl Dark Grey

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL


LIGHT SOURCE




LED Module




FILO




9W
540 LUMENS
DS15 P02 DS###




9W
540 LUMENS
DS16 P02 DS###



9W
540 LUMENS
DS17 P02 DS###



9W
540 LUMENS
DS18 P01 DS###



9W
540 LUMENS
DS19 P03 DS###

NEW

IP40

CCT
3000K, 4000K,
5700K, 6500K


CRI
85




LIGHT SOURCE




Filament Lamp



9W
540 LUMENS
DS20 P04 DS## ##




9W
540 LUMENS
DS21 P04 DS## ##




9W
540 LUMENS
DS22 P03 DS## ##


TAWB



9W 540 LUMENS DS23 P03 DS###



12W 720 LUMENS DS23 P04 DS###



15W 900 LUMENS DS23 P06 DS###

Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 02 ● Jet Black
- 03 ● Graphite Grey
- 14 ○ Oyster White
- 51 ● Perl Gold

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




Filament Lamp

LunnArk Luminaires

TAWB WIDE



8W	320 LUMENS	DS24 P02 DS## ##
8W	320 LUMENS	DS24 P03 DS## ##
8W	320 LUMENS	DS24 P04 DS## ##



MAKE IT A CLUSTER...

Bring together number of units to make it PERFECT for your Interior



CAGE

NEW

IP40


CCT
3000K, 4000K,
5700K, 6500K

CR1
85



20W 1400 LUMENS DS25 P03 DZ### ##


30W 2100 LUMENS DS25 P04 DZ### ##



20W 1200 LUMENS DS26 P03 DZ### ##

30W 1800 LUMENS DS26 P04 DZ### ##

40W 2400 LUMENS DS26 P06 DZ### ##



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

51 ● Perl Gold

52 ● Perl Dark Grey

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT options available based on RAL

LIGHT SOURCE






LED Module

CORAL



15W	900 LUMENS	DS27 P03 DZ## ##
20W	1200 LUMENS	DS27 P04 DZ## ##
30W	1800 LUMENS	DS27 P06 DZ## ##
15W	900 LUMENS	DS28 P03 DZ## ##
20W	1200 LUMENS	DS28 P04 DZ## ##
30W	1800 LUMENS	DS28 P06 DZ## ##
15W	900 LUMENS	DS29 P03 DZ## ##
20W	1200 LUMENS	DS29 P04 DZ## ##
30W	1800 LUMENS	DS29 P06 DZ## ##



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

51 ● Perl Gold

52 ● Perl Dark Grey

TUNABLE

3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR


* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




LED Module




**TYPICAL TO EXTRAORDINARY,
RIGHT LIGHT AT RIGHT PLACE**

TURBO



15W	1200 LUMENS	DS30 P06 DZ## ##
20W	1600 LUMENS	DS30 P09 DZ## ##
30W	2400 LUMENS	DS30 P12 DZ## ##



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

01 ● Perl Gold

02 ○ Perl Dark Grey



PRODUCT CODING


Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




NEW LED

IP40

CCT
3000K, 4000K,
5700K, 6500K

CR1
85



SUSPENSION SYSTEM

For body with 450mm and below



For body with 600mm and above





20W	1600 LUMENS	DS31 P03 DZ## ##
20W	1600 LUMENS	DS31 P04 DZ## ##
30W	2400 LUMENS	DS31 P06 DZ## ##

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White


02 ● Jet Black

03 ● Graphite Grey

51 ● Perl Gold

52 ● Perl Dark Grey

450 / 650 / 800



Ø300 / 450 / 600

Dimensions are in Millimeters (mm)

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL




LIGHT SOURCE




LED Module




CONNECT




30W
2400 LUMENS
DS32 P01 DZ## ##



30W
2400 LUMENS
DS32 P02 DZ## ##



20W
1600 LUMENS
DS32 P03 DZ## ##



10W
800 LUMENS
DS32 P04 DZ## ##

* Uniform height of 100mm for all the above fixtures.

OPTIONS AVAILABLE

- | | | |
|----------------|------------|---------------------|
| CONTROL | CCT | COLOR |
| S - SWITCH | 27 - 2700K | 01 ○ Signal White |
| D - DALI | 30 - 3000K | 02 ● Jet Black |
| A - ANALOG | 40 - 4000K | 51 ● Perl Gold |
| | 57 - 5700K | 52 ● Perl Dark Grey |
| | 65 - 6500K | |

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE
*REPLACE Z - CONTROL, ### - CCT & COLOR
* Customization available on SIZE and POWER
* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE






Amoeba is a shapeless tiny single celled organism.

The genetic material gets replicated and the single nucleus divides into two nuclei.
So does our ' AMOEBA ' !!


Define your own AMOEBA SHAPE with multiple nuclei that suits your interior

THERE'S NO RULE FOR DEFINITE SHAPE....
LET THE LIGHT FLOW WITH THE THEME

' GO AMOEBA '




Amoeba configuration to suit the interior needs




Independent fixtures that could be put together to create customized AMOEBA


35W 2800 LUMENS DS33 P01 DZ### ##




40W 2000 LUMENS DS33 P02 DZ### ##




25W 3200 LUMENS DS33 P03 DZ### ##




32W 3200 LUMENS DS33 P04 DZ### ##



40W 2560 LUMENS DS33 P05 DZ### ##



25W 2000 LUMENS DS33 P06 DZ### ##



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black

03 Graphite Grey

51 Perl Gold

52 Perl Dark Grey



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




LED Module





EVOKE THE 'SENSE OF HAPPINESS'
WITH ATTENTION GRABBING WARM LIGHT !!

24W	960 LUMENS	DS34 P04 DS## ##
32W	1280 LUMENS	DS34 P06 DS## ##
32W	1280 LUMENS	DS34 P09 DS## ##



OPTIONS AVAILABLE

CCT	COLOR	OUTER COLOR	INNER COLOR
27 - 2700K	BC ●●	Jet Black	Perl Dark Grey
30 - 3000K	BD ●●	Jet Black	Perl Gold
40 - 4000K	GD ●●	Black Red	Perl Gold
57 - 5700K			
65 - 6500K			

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ## ## - CCT & COLOR


* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




Filament Lamp




SPINNED PROFILES




DOME




TEXTURED paint is available on request



20W
1800 LUMENS
SP01 P04 DZ### ##



30W
2700 LUMENS
SP01 P05 DZ### ##



40W
3600 LUMENS
SP01 P06 DZ### ##

Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to LED module with Diffuser

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 02 ● Jet Black
- 03 ● Graphite Grey
- 10 ● Fern Green
- 19 ● Curry
- 37 ● Pure White
- 31 ● Sapphire Blue
- 44 ● Copper Brown

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

- * Control and Tunable options are available only with the choice of LED module
- * Customization available on SIZE and POWER
- * Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS




DIFFUSER MOUNT OPTIONS



ROLO



20W	1800 LUMENS	SP02 P03 DZ### ##
30W	2700 LUMENS	SP02 P04 DZ### ##



Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to LED module with Diffuser

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 03 ● Graphite Grey
- 07 ● Baby Blue
- 11 ● Yellow Orange
- 23 ● Ruby Red
- 37 ● Yellow Green



PRODUCT CODING

Select from options and Specify the CODE


*REPLACE Z - CONTROL, ### ## - CCT & COLOR

- * Control and Tunable options are available only with the choice of LED module
- * Customization available on SIZE and POWER
- * Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS




DIFFUSER MOUNT OPTIONS





**LUMINAIRE THAT MAKES
PERFECT MATCH
TO YOUR INTERIOR**

TURNO



20W 1800 LUMENS SP03 P03 DZ## ##

*Given Wattage and Lumens are with respect to Lamp



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

05 ● Pure Orange

07 ● Baby Blue

17 ● Sulfer Yellow

25 ● Tomato Red

37 ● Yellow Green

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



Lamp



LED Module

DIFFUSER MOUNT OPTIONS




With Lipping




Without Lipping

SPINO



*Given Wattage and Lumens are with respect to LED module

30W 2700 LUMENS SP04 P04 DZ## ##



OPTIONS AVAILABLE

CONTROL	CCT	COLOR	OUTER COLOR	INNER COLOR
S - SWITCH	27 - 2700K	FA	Sepia Brown	Signal White
D - DALI	30 - 3000K	BA	Jet Black	Signal White
A - ANALOG	40 - 4000K	AE	Signal White	Brown Grey
	57 - 5700K	AG	Signal White	Black Red
	65 - 6500K	IA	Yellow Green	Signal White

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR

- * Control and Tunable options are available only with the choice of LED module
- * Outer and Inner color options are not applicable for fixtures with Diffuser
- * Customization available on SIZE and POWER
- * Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



Lamp



LED Module

DIFFUSER MOUNT OPTIONS



With Lipping




Without Lipping

QILAR



30W 2400 LUMENS SP05 P04 DZ### ##

*Given Wattage and Lumens are with respect to LED module with Diffuser



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

48 ○ Traffic White

02 ● Jet Black

25 ● Tomato Red

35 ● Turquoise Blue

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### ## - CCT & COLOR

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



Lamp



LED Module

DIFFUSER MOUNT OPTIONS



With Liping




Without Liping



15W	1200 LUMENS	SP06 P02 DZ## ##
20W	1600 LUMENS	SP06 P03 DZ## ##
30W	2400 LUMENS	SP06 P04 DZ## ##

*Given Wattage and Lumens are with respect to LED module with Diffuser



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 05 Pure Orange
- 17 Sulfer Yellow
- 25 Tomato Red
- 27 Traffic Black
- 37 Yellow Green
- 47 Pure White

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE


*REPLACE Z - CONTROL, ## ## - CCT & COLOR

- * Control and Tunable options are available only with the choice of LED module
- * Customization available on SIZE and POWER
- * Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



DIFFUSER MOUNT OPTIONS



MINO



A Ceiling lamp of 20-30W range. The fixture body is Spun Aluminium metal. Discrete LED with each LED of 0.5W is used, which is 30-40mm inner to the fixture's edge. The Diffuser is of Regressed type.



Suspension can be either single suspension or 3 way suspension. Single suspension would be of standard 1 meter length.



20W 1600 LUMENS SP07 P02 DZ### ##

*Given Wattage and Lumens are with respect to LED module with Diffuser

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 Signal White

02 Jet Black


03 Graphite Grey

13 Concrete Grey

23 Ruby Red

38 Pale Green

TUNABLE
3000K to 6000K



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### ## - CCT & COLOR

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



Lamp



LED Module

DIFFUSER MOUNT OPTIONS



With Liping




Without Liping

QUAY



20W	1800 LUMENS	SP08 P03 DZ## ##
40W	3600 LUMENS	SP08 P06 DZ## ##

*Given Wattage and Lumens are with respect to LED module with Diffuser



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL	CCT	COLOR	OUTER COLOR	INNER COLOR
S - SWITCH	27 - 2700K	IA	Yellow Green	Signal White
	30 - 3000K	KA	Sulfur Yellow	Signal White
D - DALI	40 - 4000K	FA	Sepia Brown	Signal White
	57 - 5700K	AE	Signal White	Brown Grey
A - ANALOG	65 - 6500K	AG	Signal White	Black Red

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR


* Control and Tunable options are available only with the choice of LED module

* Outer and inner color options are not applicable for fixtures with Diffuser

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS




DIFFUSER MOUNT OPTIONS





10W 600 LUMENS SP09 P03 DZ## ##

*Given Wattage and Lumens are with respect to Lamp



OPTIONS AVAILABLE

CONTROL

- S - **SWITCH**
- D - **DALI**
- A - **ANALOG**

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 03 ● Graphite Grey
- 17 ● Sulfur Yellow
- 38 ● Pale Green




PRODUCT CODING

Select from options and Specify the CODE


*REPLACE Z - CONTROL, ## ## - CCT & COLOR

- * Control and Tunable options are available only with the choice of LED module
- * Customization available on SIZE and POWER
- * Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



DIFFUSER MOUNT OPTIONS






FUNELO



10W 700 LUMENS SP10 P01 DZ## ##

*Given Wattage and Lumens are with respect to Lamp



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ● Signal White

02 ● Jet Black

12 ● Brown Grey

26 ● Light Pink

32 ● Signal Blue

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



Lamp



LED Module

DIFFUSER MOUNT OPTIONS





With Lipping



Without Lipping

SIRO



Dimensions are in Millimeters (mm)

20W 1800 LUMENS SP11 P03 DZ## ##

*Given Wattage and Lumens are with respect to LED module with Diffuser

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

12 ● Brown Grey

19 ● Curry

25 ● Tomato Red

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



Lamp



LED Module

DIFFUSER MOUNT OPTIONS



With Lipping



Without Lipping

BELL




15W

1350 LUMENS

SP12 P02 DZ## ##

*Given Wattage and Lumens are with respect to LED module



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

16 ● Golden Yellow

32 ● Signal Blue

44 ● Copper Brown

51 ● Perl Gold

52 ● Perl Dark Grey

TUNABLE
3000K to 6000K

LIGHT SOURCE



Lamp




LED Module



15W

1200 LUMENS


SP13 P02 DZ### ##



15W

1200 LUMENS

SP14 P02 DZ### ##



Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to LED module with Diffuser

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### ## - CCT & COLOR

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



Lamp



LED Module

DIFFUSER MOUNT OPTIONS



With Liping





Without Liping



LINEAR PROFILES

LINIO



OPTIONS AVAILABLE

MOUNTING



P - Pendant



S - Surface Mount

CONTROL



CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

06 ● Traffic Red


37 ● Yellow Green

41 ○ Light Grey




Direct light

15W	1200 LUMENS	LN1A X06 DZ## ##
30W	2400 LUMENS	LN1A X12 DZ## ##
45W	3600 LUMENS	LN1A X18 DZ## ##
60W	4800 LUMENS	LN1A X24 DZ## ##




15W	1500 LUMENS	LN1B X06 DZ## ##
30W	3000 LUMENS	LN1B X12 DZ## ##
45W	4500 LUMENS	LN1B X18 DZ## ##
60W	6000 LUMENS	LN1B X24 DZ## ##




Dimensions are in Millimeters (mm)

Direct - Indirect light

15W	1200 LUMENS	LN1C P06 FZ## ##
30W	2400 LUMENS	LN1C P12 FZ## ##
45W	3600 LUMENS	LN1C P18 FZ## ##
60W	4800 LUMENS	LN1C P24 FZ## ##



20W	2000 LUMENS	LN1D P06 FZ## ##
40W	4000 LUMENS	LN1D P12 FZ## ##
60W	6000 LUMENS	LN1D P18 FZ## ##
80W	8000 LUMENS	LN1D P24 FZ## ##



Dimensions are in Millimeters (mm)

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Z - CONTROL, ## ## - CCT & COLOR



* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL










900

20W

1600 LUMENS

LN02 X09 DZ## ##




1800

40W

3200 LUMENS

LN02 X18 DZ## ##



2700

60W

5600 LUMENS

LN02 X27 DZ## ##

Dimensions are in Millimeters (mm)

* Optional Heights of 40mm and 70mm are available.

* Optional Widths of 40mm and 50mm are available.

OPTIONS AVAILABLE

MOUNTING



P - Pendant



S - Surface Mount

CONTROL

S -

SWITCH

D -

DALI

A -

ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01

○ Signal White

02

● Jet Black

42

● Silk Grey

PRODUCT CODING




Select from options and Specify the CODE

*REPLACE X - MOUNTING, Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL





OTHER CUSTOMIZABLE CUT PROFILES








ARC




* All dimensions are in millimeters (mm)
* The length mentioned is for single curve.

IDEAS ON
DESIGN CUSTOMISATION



SERPENT



Dimensions are in Millimeters (mm)

Here the two ARC fixtures of 90° with radius 1500 are connected.
Many such ARC fixtures can be connected to make possible design customizations of any length.

OPTIONS AVAILABLE

MOUNTING



P - Pendant



S - Surface Mount

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

03 ● Graphite Grey

42 ○ Silk Grey

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL





**CURVES Add Hint of
UNEXPECTED TO
LUMINAIRES THAT ARE
HABITUAL**







ACRYLIC LUMINAIRES



15W	900 LUMENS	AC1A P06 FZ## ##
20W	1200 LUMENS	AC1A P09 FZ## ##
30W	1800 LUMENS	AC1A P12 FZ## ##
40W	2400 LUMENS	AC1A P15 FZ## ##
50W	3000 LUMENS	AC1A P18 FZ## ##



15W	900 LUMENS	AC1B P06 FZ## ##
20W	1200 LUMENS	AC1B P09 FZ## ##
30W	1800 LUMENS	AC1B P12 FZ## ##
40W	2400 LUMENS	AC1B P15 FZ## ##
50W	3000 LUMENS	AC1B P18 FZ## ##



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL	CCT	COLOR
S - SWITCH	27 - 2700K	02 ● Jet Black
D - DALI	30 - 3000K	03 ● Graphite Grey
A - ANALOG	40 - 4000K	44 ● Copper Brown
	57 - 5700K	51 ● Perl Gold
	65 - 6500K	52 ● Perl Dark Grey


TUNABLE
3000K to 6000K

PRODUCT CODING

- *Select from options and Specify the CODE*
- *REPLACE Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER
* Customized PAINT and POWDER COAT options available based on RAL


LIGHT SOURCE




GLO MINI




10W 500 LUMENS AC2A P01 DZ## ##
 15W 750 LUMENS AC2A P03 DZ## ##




10W 500 LUMENS AC2B P01 DZ## ##
 15W 750 LUMENS AC2B P03 DZ## ##



15W 750 LUMENS AC2C P01 DZ## ##
 20W 1000 LUMENS AC2C P03 DZ## ##





10W 600 LUMENS AC2D P01 DZ## DF
 15W 900 LUMENS AC2D P03 DZ## DF
 20W 1200 LUMENS AC2D P04 DZ## DF
 30W 1800 LUMENS AC2D P06 DZ## DF



Dimensions are in Millimeters (mm)




ARETO



20W	1200 LUMENS	AC3A P09 FZ## ##	Ø50
40W	2400 LUMENS	AC3A P12 FZ## ##	
20W	1200 LUMENS	AC3B P09 FZ## ##	Ø75
40W	2400 LUMENS	AC3B P12 FZ## ##	

Dimensions are in Millimeters (mm)



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

02 ● Jet Black

44 ● Copper Brown

51 ● Perl Gold

52 ● Perl Dark Grey

PRODUCT CODING

Select from options and Specify the CODE


*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

TUNABLE
3000K to 6000K

LIGHT SOURCE



POLA



** Possible customization on patterns available on request, under certain limitations.

10W 500 LUMENS AC04 P02 DZ## ##

20W 1000 LUMENS AC04 P05 DZ## ##




Dimensions are in Millimeters (mm)

BAND



20W	1200 LUMENS	AC05 P03 FZ## ##
30W	1800 LUMENS	AC05 P04 FZ## ##
40W	2400 LUMENS	AC05 P06 FZ## ##
60W	3600 LUMENS	AC05 P09 FZ## ##
80W	4800 LUMENS	AC05 P12 FZ## ##

* Given Wattage and Lumens are with respect to DIRECT-INDIRECT light



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

02 ● Jet Black

23 ● Ruby Red

44 ● Copper Brown

51 ● Perl Gold

52 ● Perl Dark Grey

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Y - LIGHT DISTRIBUTION, Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




CHOOSE FIXTURES THAT NOT ONLY
illuminate your place
but also adds to your interior being
ACCENT piece





15W	750 LUMENS	AC06 W03 FZ### ##
15W	750 LUMENS	AC06 W05 FZ### ##



OPTIONS AVAILABLE

CONTROL	CCT	COLOR
S - SWITCH	27 - 2700K	02 ● Jet Black
D - DALI	30 - 3000K	41 ○ Light Grey
A - ANALOG	40 - 4000K	44 ● Copper Brown
	57 - 5700K	51 ● Perl Gold
	65 - 6500K	52 ● Perl Dark Grey

TUNABLE
 3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



LED Module




**GIVE YOUR SPACE THE TOUCH OF WARM GLOW
WITH OUR ICONIC ACRYLIC WALL LUMINAIRE**

CUE



A Surface Mount luminaire with Acrylic body held in Metal Framing

15W	1200 LUMENS	AC07 S03 DZ## ##
20W	1600 LUMENS	AC07 S04 DZ## ##



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 02 ● Jet Black
- 44 ● Copper Brown
- 51 ● Perl Gold
- 52 ● Perl Dark Grey

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER


* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



LED Module

POLLAR



10W	600 LUMENS	AC08 F06 FS## ##
15W	900 LUMENS	AC08 F09 FS## ##
20W	1200 LUMENS	AC08 F15 FS## ##
30W	1800 LUMENS	AC08 F20 FS## ##



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 02 ● Jet Black
- 41 ○ Light Grey
- 51 ● Perl Gold
- 52 ● Perl Dark Grey

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




LED Module




BLANC



BLANC-C




30W	2100 LUMENS	AC9A P06 FZ## DF
40W	2800 LUMENS	AC9A P09 FZ## DF
60W	4200 LUMENS	AC9A P12 FZ## DF



*Lumen Output varies with Height accordingly

OPTIONS AVAILABLE

CONTROL	CCT
S - SWITCH	27 - 2700K
D - DALI	30 - 3000K
A - ANALOG	40 - 4000K
	57 - 5700K
	65 - 6500K



PRODUCT CODING

Select from options and Specify the CODE


*REPLACE Z - CONTROL, ## - CCT

* Customization available on SIZE and POWER

LIGHT SOURCE




30W	2100 LUMENS	AC9B P06 FZ## DF
40W	2800 LUMENS	AC9B P09 FZ## DF
60W	4200 LUMENS	AC9B P12 FZ## DF




WE ARE DEDICATED TO CREATE
ELEGANT FIXTURES
APPROPRIATE FOR YOUR
EXCELLENT SPACE



AKRYL



simple YET ELEGANT....



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

02 ● Jet Black

41 ● Light Grey

44 ● Copper Brown

51 ● Perl Gold

52 ● Perl Dark Grey



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



GLASS LUMINAIRES





OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

13 ● Concrete Grey

44 ● Copper Brown

51 ● Perl Gold

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR


* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL





LIGHT SOURCE




LED Module




OZO-CLUSTER



30W
1800 LUMENS
GL01 P06 FZ## ##



50W
3000 LUMENS
GL01 P15 FZ## ##



70W
4200 LUMENS
GL01 P18 FZ## ##

Dimensions are in Millimeters (mm)


* Applicable Globe size is of 100mm or 150mm



DROP



8W	560 LUMENS	GL02 X10 FZ## ##
12W	840 LUMENS	GL02 X15 FZ## ##



* Applicable Globe size is of 100mm or 150mm

OPTIONS AVAILABLE

MOUNTING

-  P - Pendant
-  W - Wall Mount

CONTROL

- S -  SWITCH
- D -  DALI
- A -  ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01  Signal White
- 02  Jet Black
- 03  Graphite Grey
- 44  Copper Brown
- 51  Perl Gold

TUNABLE
3000K to 6000K

LIGHT SOURCE



LED Module




* Applicable Globe size is of 100mm or 150mm

8W 560 LUMENS

GL3A W10 DZ### ##

12W 840 LUMENS

GL3A W15 DZ### ##




8W 560 LUMENS

GL3B W10 DZ### ##

12W 840 LUMENS

GL3B W15 DZ### ##



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR


01 ○ Signal White

02 ● Jet Black

13 ● Concrete Grey

44 ● Copper Brown

51 ● Perl Gold



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE X - MOUNTING, Z - CONTROL, ### ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



LED Module

NEST




* Applicable Globe size is of 100mm

20W

1400 LUMENS

GL04 P10 FZ## ##



Dimensions are in Millimeters (mm)


PEARL



15W

1050 LUMENS

GL05 T10 FZ### ##



Dimensions are in Millimeters (mm)

* Applicable Globe size is of 100mm

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

13 ● Concrete Grey

44 ● Copper Brown

51 ● Perl Gold



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE




LED Module

POP




16W 1120 LUMENS GL6A W10 FZ## ##



Dimensions are in Millimeters (mm)


16W 1120 LUMENS GL6B W10 FZ## ##
 24W 1680 LUMENS GL6B W15 FZ## ##




Dimensions are in Millimeters (mm)



8W 560 LUMENS GL6C W10 FZ## ##
 12W 840 LUMENS GL6C W15 FZ## ##



Dimensions are in Millimeters (mm)



* Applicable Globe size is of 100mm or 150mm

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 13 ● Concrete Grey
- 44 ● Copper Brown
- 51 ● Perl Gold

TUNABLE
3000K to 6000K



08W 480 LUMENS GL07 T10 DZ## ##
 12W 720 LUMENS GL07 T15 DZ## ##

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR


01 ● Signal White

02 ● Jet Black

03 ● Graphite Grey

13 ● Concrete Grey

43 ● Ochre Brown



Dimensions are in Millimeters (mm)

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL



LY

LED
IP40
CCT
3000K, 4000K,
5700K, 6500K
CRI
85



LIGHT SOURCE



Filament Lamp



Ø250 / 300 / 450

Dimensions are in Millimeters (mm)

8W	360 LUMENS	GL08 P02 DZ## DF
8W	360 LUMENS	GL08 P03 DZ## DF
8W	360 LUMENS	GL08 P04 DZ## DF

* Tinted glass is available on request


OVAL



12W

720 LUMENS

GL09 **X02 F2## ##**



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

MOUNTING

P - Pendant

W - Wall Mount

CONTROL

S - **SWITCH**

D - **DALI**

A - **ANALOG**

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ● Signal White

02 ● Jet Black

03 ● Graphite Grey

13 ● Concrete Grey

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE **X** - MOUNTING, **Z** - CONTROL, **## ##** - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



LED Module



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

10 ● Fern Green

13 ● Concrete Grey

23 ● Ruby Red

LIGHT SOURCE




LED Module

KRYT



Dimensions are in Millimeters (mm)



10W
600 LUMENS
GL10 P03 DZ## ##

PRODUCT CODING

Select from options and Specify the CODE
*REPLACE Z - CONTROL, ## ## - CCT & COLOR


* Customization available on SIZE and POWER
* Customized PAINT options available based on RAL

FRP LUMINAIRES





12W	900 LUMENS	FP01 P05 DZ###	Glass Globe - Ø150
20W	1500 LUMENS	FP01 P08 DZ###	Glass Globe - Ø250



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL	CCT	COLOR
S - SWITCH	27 - 2700K	01 ○ Signal White
D - DALI	30 - 3000K	02 ● Jet Black
A - ANALOG	40 - 4000K	13 ● Concrete Grey
	57 - 5700K	24 ● Beige Red
	65 - 6500K	34 ● Cobalt Blue

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE
*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER
* Customized PAINT and POWDER COAT options available based on RAL


LIGHT SOURCE







12W	900 LUMENS	FP2A P05 DZ### ##	Glass Globe - Ø150
30W	2700 LUMENS	FP2B P05 DZ### ##	Diffuser



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 13 ● Concrete Grey
- 23 ● Ruby Red
- 24 ● Beige Red
- 34 ● Cobalt Blue
- 38 ● Pale Green

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### ## - CCT & COLOR

* Customization available on SIZE and POWER
* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



SKOF



KUBA

NEW
LED
IP40
CCT
3000K-4000K,
5700K-6500K
CR1
85



20W

1500 LUMENS

FP3A P09 DZ### ##


Glass Globe - Ø300

50W

3500 LUMENS

FP3B P09 DZ### ##

Diffuser




Dimensions are in Millimeters (mm)

PLAST




30W 2400 LUMENS FP04 P04 DZ### ##

*Given Wattage and Lumens are with respect to LED module with Diffuser



10W 700 LUMENS FP05 P02 DZ### ##

*Given Wattage and Lumens are with respect to LED module with Diffuser



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

COLOR

01 ○ Signal White

02 ● Jet Black

17 ● Sulfer Yellow

23 ● Ruby Red

24 ● Beige Red

34 ● Cobalt Blue

38 ● Pale Green

TUNABLE

3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



Lamp



LED Module




light from illuminant is good but
AMAZING when it is from
“ AUTHENTIC FIXTURES ”

SOLIS



20W	1400 LUMENS	FP6A P06 DZ### ##
20W	1400 LUMENS	FP6A P09 DZ### ##
30W	2100 LUMENS	FP6A P12 DZ### ##

*Given Wattage and Lumens are with respect to LED Globe



PRODUCT CODING


Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL


LIGHT SOURCE OPTIONS





20W	1400 LUMENS	FP6B P06 DZ## ##
20W	1400 LUMENS	FP6B P09 DZ## ##
30W	2100 LUMENS	FP6B P12 DZ## ##

*Given Wattage and Lumens are with respect to LED Globe



OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR


- 14 ○ Oyster White
- 26 ● Light Pink
- 28 ● Salmon Pink
- 38 ● Pale Green
- 50 ● Green Blue

TUNABLE
3000K to 6000K



NEW LED
IP40 CCT 3000K, 4000K, 5700K, 6500K CRI 85

30W	2100 LUMENS	FP6C P12 DZ### ##
30W	2100 LUMENS	FP6C P14 DZ### ##
50W	3500 LUMENS	FP6C P18 DZ### ##



*Given Wattage and Lumens are with respect to LED Globe

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 14 Oyster White
- 26 Light Pink
- 28 Salmon Pink
- 38 Pale Green
- 50 Green Blue

TUNABLE
3000K to 6000K

PRODUCT CODING


Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS




WOOD LUMINAIRES



HALO



15W	900 LUMENS	WD01 P04 FZ## ##
20W	1200 LUMENS	WD01 P06 FZ## ##
30W	1800 LUMENS	WD01 P08 FZ## ##



OPTIONS AVAILABLE


CONTROL	CCT	WOOD
S - SWITCH	27 - 2700K	01 Alder
D - DALI	30 - 3000K	06 Mahogany
A - ANALOG	40 - 4000K	09 Red Oak
	57 - 5700K	10 Teak
	65 - 6500K	

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE
*REPLACE Z - CONTROL, ### - CCT & WOOD

* Customization available on SIZE and POWER
* Possible customization in wood is available



LIGHT SOURCE





AGO





10W 700 LUMENS WD02 P01 DZ## ##

15W 1050 LUMENS WD02 P02 DZ## ##



Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to Lamp

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

WOOD

01 Alder

02 Ash

03 Beech

08 Pine

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE


*REPLACE Z - CONTROL, ### - CCT & WOOD

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER


* Possible customization in wood is available

LIGHT SOURCE OPTIONS





20W	1400 LUMENS	WD03 P08 DS## ##
30W	2100 LUMENS	WD03 P12 DS## ##



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

WOOD

- 02  Ash
- 05  Cherry
- 06  Mahagony
- 09  Red Oak

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & WOOD

* Customization available on SIZE and POWER

* Possible customization in wood is available

LIGHT SOURCE




LED Module


SPIN



10W 600 LUMENS WD04 P03 DS## ##
 15W 1050 LUMENS WD04 P05 DS## ##



20W 1600 LUMENS WD05 P03 DS## ##
 30W 2400 LUMENS WD05 P05 DS## ##



*Given Wattage and Lumens are with respect to LED module with Diffuser

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

WOOD

- 02 Ash
- 05 Cherry
- 06 Mahogany
- 11 Wallnut



PRODUCT CODING

Select from options and Specify the CODE


*REPLACE Z - CONTROL, ## ## - CCT & WOOD

* Control and Tunable options are available only with the choice of LED module


* Customization available on SIZE and POWER

* Possible customization in wood is available


LIGHT SOURCE OPTIONS



DRU-SLIM




10W 700 LUMENS WD6A P06 DZ## ##
 20W 1400 LUMENS WD6A P12 DZ## ##



Dimensions are in Millimeters (mm)

10W 800 LUMENS WD6B P06 DZ## ##
 20W 1600 LUMENS WD6B P12 DZ## ##



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

WOOD

09 Red Oak

10 Teak

11 Walnut

12 White Oak

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & WOOD


* Customization available on SIZE and POWER

* Possible customization in wood is available

LIGHT SOURCE




DRU-CURVE



9W 540 LUMENS WD6C P12 DZ## ##




HAZO



20W


1600 LUMENS

WD07 P12 DZ## ##



Dimensions are in Millimeters (mm)






5W	350 LUMENS	WD08 T03 DZ## ##
10W	700 LUMENS	WD08 T06 DZ## ##
15W	1050 LUMENS	WD08 T09 DZ## ##
20W	1400 LUMENS	WD08 T12 DZ## ##
30W	2100 LUMENS	WD08 T18 DZ## ##

*Single leg for 600mm Length and below

LIGHT SOURCE





SLIDE

NEW LED

IP40

CCT
3000K, 4000K,
5700K, 6500K

CR1
85



Dimensions are in Millimeters (mm)

10W 700 LUMENS WD09 W06 DZ### ##

OPTIONS AVAILABLE

CONTROL	CCT	WOOD
S - SWITCH	27 - 2700K	03 Beech
D - DALI	30 - 3000K	05 Cherry
A - ANALOG	40 - 4000K	06 Mahogany
	57 - 5700K	10 Teak
	65 - 6500K	

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### ## - CCT & WOOD

* Customization available on SIZE and POWER

* Possible customization in wood is available

LIGHT SOURCE




LED Module

PLAT




10W	700 LUMENS	WD10 W03 FZ### ##
20W	1400 LUMENS	WD10 W06 FZ### ##
30W	2100 LUMENS	WD10 W09 FZ### ##



Dimensions are in Millimeters (mm)



10W	700 LUMENS	WD11 W03 FZ### ##
20W	1400 LUMENS	WD11 W06 FZ### ##
30W	2100 LUMENS	WD11 W09 FZ### ##



Dimensions are in Millimeters (mm)


BOIS



10W
600 LUMENS
WD12 P03 DS###



10W
600 LUMENS
WD12 P04 DS###



15W
900 LUMENS
WD12 P06 DS###

Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

MDF

- 01 Alder
- 03 Beech
- 04 Birch
- 05 Cherry

PRODUCT CODING

Select from options and Specify the CODE



*REPLACE ### - CCT & MDF

* Customization available on SIZE and POWER

* Possible customization in MDF is available

LIGHT SOURCE





OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

MDF

- 01 Alder
- 03 Beech
- 04 Birch
- 05 Cherry

TUNABLE
3000K to 6000K

PRODUCT CODING


Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & MDF

* Customization available on SIZE and POWER

* Possible customization in MDF is available

LIGHT SOURCE



EMPHASIZE ON LIGHTING TO INTENSIFY
THE WAY OF PERCEIVING ARCHITECTURE



CORK

LIGHT WEIGHT



WATER RESISTANT



THERMAL INSULATION



ACOUSTIC CHARACTERISTICS



IMPACT RESISTANCE



ELASTICITY
COMPRESSIBILITY
FLEXIBILITY



FRICTION



DURABLE
STABLE
RIGID



ECO FRIENDLY
RECYCLABLE




SUB

NEW LED


IP40

CCT
3000K, 4000K,
5700K, 6500K


CR1
85



10W
600 LUMENS
CK01 P02 DZ## DF



10W
600 LUMENS
CK01 P03 DZ## DF



12W
720 LUMENS
CK01 P04 DZ## DF

Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to Lamp

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

TUNABLE
3000K to 6000K

PRODUCT CODING


Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## - CCT

* Control and Tunable options are available only with the choice of LED module


* Customization available on SIZE and POWER

LIGHT SOURCE OPTIONS





CODA



15W	1350 LUMENS	CK02 P03 DZ## DF
20W	1800 LUMENS	CK02 P04 DZ## DF
30W	2700 LUMENS	CK02 P06 DZ## DF

*Given Wattage and Lumens are with respect to LED module with Diffuser

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT


27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K




Dimensions are in Millimeters (mm)

PRODUCT CODING



Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## - CCT

* Customization available on SIZE and POWER



LIGHT SOURCE






KORK

NEW LED


IP40 CCT 3000K, 4000K, 5700K, 6500K CRI 85



15W

1350 LUMENS

CK03 P03 DZ## DF



Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to Lamp

SURO


NEW LED IP40 CCT 3000K, 4000K, 5700K, 6500K CRI 85



10W

600 LUMENS

CK04 P01 DZ## DF



Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to Lamp

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## - CCT

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER

LIGHT SOURCE OPTIONS



Lamp



LED Module


HOL



10W


600 LUMENS

CK05 X01 DS## DF





Dimensions are in Millimeters (mm)


NEO




10W 600 LUMENS CK06 P08 DZ## DF $\varnothing 180 / 220$
 10W 600 LUMENS CK06 P10 DZ## DF



10W
600 LUMENS
CK07 P02 DZ## DF



10W
600 LUMENS
CK07 P03 DZ## DF



15W
900 LUMENS
CK07 P04 DZ## DF

Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to Lamp

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

TUNABLE
3000K to 6000K

PRODUCT CODING


Select from options and Specify the CODE

*REPLACE X - MOUNTING, Z - CONTROL, ## - CCT

* Control and Tunable options are available with the choice of LED module

* Customization available on SIZE and POWER


LIGHT SOURCE OPTIONS



RING



20W	1600 LUMENS	CK08 P04 DZ## DF
30W	2400 LUMENS	CK08 P06 DZ## DF
50W	4000 LUMENS	CK08 P09 DZ## DF



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## - CCT

* Control and Tunable options are available only with the choice of diffuser

* Customization available on SIZE and POWER


LIGHT SOURCE



LED Module



10W	600 LUMENS	CK09 P03 DZ## DF
15W	900 LUMENS	CK09 P04 DZ## DF



Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to Lamp

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## - CCT

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER

LIGHT SOURCE OPTIONS



Lamp



LED Module




**WICKER
LUMINAIRES**



Diffuser

Bamboo



			Diameter	Height
10W	700 LUMENS	WI01 P04 DZ## DF	[450]	[150]
20W	1400 LUMENS	WI01 P06 DZ## DF	[600]	[200]
30W	2100 LUMENS	WI01 P09 DZ## DF	[900]	[300]

*Given Wattage and Lumens are with respect to Lamp

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## - CCT

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE OPTIONS



Lamp



LED Module

WELLE



10W 700 LUMENS WI02 P05 DZ## DF

*Given Wattage and Lumens are with respect to Lamp

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT


27 - 2700K

30 - 3000K


40 - 4000K

57 - 5700K

65 - 6500K



Dimensions are in Millimeters (mm)



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## - CCT

* Customization available on SIZE and POWER

LIGHT SOURCE




MESH

NEW LED IP40 CCT 3000K, 4000K, 5700K, 6500K CR1 85



15W 1050 LUMENS WI03 P04 DZ## DF

*Given Wattage and Lumens are with respect to LED Globe



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

LIGHT SOURCE



LED Module

STOCK




7W

420 LUMENS

WI04 P03 DZ## DF

*Given Wattage and Lumens are with respect to Lamp



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## - CCT

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL

LIGHT SOURCE



JUTE FIXTURES




- BIO-DEGRADABLE
- RECYCLABLE - ENVIRONMENT FRIENDLY
- HIGH TENSILE STRENGTH

BOKIT



9W	540 LUMENS	JT01 P04 DS## DF
12W	720 LUMENS	JT01 P06 DS## DF
15W	900 LUMENS	JT01 P09 DS## DF



Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ## - CCT

* Customization available on SIZE and POWER

LIGHT SOURCE





Lamp




AN ECO-FRIENDLY
LIGHTING SOLUTION


VEZEL



9W
540 LUMENS
JT02 P04 DS## DF



12W
720 LUMENS
JT02 P06 DS## DF



15W
900 LUMENS
JT02 P09 DS## DF

Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ## - CCT

* Customization available on SIZE and POWER

LIGHT SOURCE









LANO



9W
540 LUMENS
JT03 P04 DS## DF



12W
720 LUMENS
JT03 P06 DS## DF



15W
900 LUMENS
JT03 P09 DS## DF

Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

PRODUCT CODING

Select from options and Specify the CODE


*REPLACE ## - CCT

* Customization available on SIZE and POWER


LIGHT SOURCE




ZILE



9W
540 LUMENS
JT04 P04 DS## DF



12W
720 LUMENS
JT04 P06 DS## DF



15W
900 LUMENS
JT04 P09 DS## DF

Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

PRODUCT CODING


Select from options and Specify the CODE

*REPLACE ## - CCT

* Customization available on SIZE and POWER

LIGHT SOURCE






**THREAD
LAMPS**



10W	700 LUMENS	TH01 P03 DS###
10W	700 LUMENS	TH01 P04 DS###
10W	700 LUMENS	TH01 P05 DS###
15W	1050 LUMENS	TH01 P06 DS###



OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

THREAD COLOR


- 01 ● Signal White
- 02 ● Jet Black
- 20 ● Vermilion
- 32 ● Signal Blue
- 37 ● Yellow Green

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ### - CCT & COLOR

- * Customization available on SIZE and POWER
- * Multicolour option available on request



LIGHT SOURCE





WE MAKE lights for you AND
OUR **Light** MAKES your **INTERIOR**



TRED



				DIAMETER	HEIGHT
10W	700 LUMENS	TH02 P03 DS## ##		300	200
10W	700 LUMENS	TH02 P04 DS## ##		450	300
15W	1050 LUMENS	TH02 P06 DS## ##		600	400



				DIAMETER	HEIGHT
10W	700 LUMENS	TH04 P03 DS## ##		300	300
10W	700 LUMENS	TH04 P04 DS## ##		450	450
15W	1050 LUMENS	TH04 P06 DS## ##		600	600



			DIAMETER	HEIGHT
10W	700 LUMENS	TH03 P04 DS## ##	450	250
15W	1050 LUMENS	TH03 P06 DS## ##	600	350
15W	1050 LUMENS	TH03 P07 DS## ##	750	450

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

THREAD COLOR

- 01 Signal White
- 03 Graphite Grey
- 20 Vermilion
- 32 Signal Blue
- 37 Yellow Green

LIGHT SOURCE



FIL


NEW LED

IP40 CCT 3000K-4000K, 5700K-6500K CRI 85



10W	700 LUMENS	TH05 P04 DS ## ##
15W	1050 LUMENS	TH05 P06 DS ## ##
15W	1050 LUMENS	TH05 P08 DS ## ##

250 / 375 / 500



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ## ## - CCT & COLOR

* Customization available on SIZE and POWER

* Multicolour option available on request

LIGHT SOURCE



Lamp




FABRIC LUMINAIRES




15W 900 LUMENS FB01 P03 DS## ##

20W 1200 LUMENS FB01 P04 DS## ##




15W 900 LUMENS FB02 P03 DS## ##

20W 1200 LUMENS FB02 P04 DS## ##




20W 1200 LUMENS FB03 P05 DS## ##

30W 1800 LUMENS FB03 P08 DS## ##



10W 600 LUMENS FB04 P02 DS## ##

15W 900 LUMENS FB04 P03 DS## ##



Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to Acrylic



OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

COLOR

- 09 ● Pastel Blue
- 10 ● Fern Green
- 23 ● Ruby Red
- 33 ● Grey Blue
- 39 ● Silver Grey
- 47 ○ Pure White

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ## ## - CCT & COLOR

- * Customization available on SIZE and POWER
- * Multicolor option available

LIGHT SOURCE OPTIONS



Lamp





LED Module



CONCRETE LAMPS









15W
 1050 LUMENS
 CC01 P02 DZ## DF



15W
 1050 LUMENS
 CC02 P02 DZ## DF



15W
 1050 LUMENS
 CC03 P02 DZ## DF

Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to LED module with Diffuser

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

TUNABLE
 3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## - CCT

* Control and Tunable options are available only with the choice of LED module
 * Customization available on SIZE and POWER

LIGHT SOURCE OPTIONS



CADRO

NEW LED CCT 3000K, 4000K, 5700K, 6500K IP40 CR1 85



A



B



C



D



LIGHT SOURCE OPTIONS



Lamp



LED Module



RUSTY



A	15W	1050 LUMENS	CC4A P02 DZ## DF		
	15W	1050 LUMENS	CC4A P03 DZ## DF		
	15W	1050 LUMENS	CC4A P04 DZ## DF		
B	10W	700 LUMENS	CC4B P03 DZ## DF		
	15W	1050 LUMENS	CC4B P04 DZ## DF		
C	10W	700 LUMENS	CC4C P03 DZ## DF		
	15W	1050 LUMENS	CC4C P04 DZ## DF		
D	10W	700 LUMENS	CC4D P01 DZ## DF		
	15W	1050 LUMENS	CC4D P02 DZ## DF		
E	15W	1050 LUMENS	CC5A P02 DZ## ##		
F	15W	1050 LUMENS	CC5B P02 DZ## ##		

*Given Wattage and Lumens are with respect to LED module with Diffuser

Dimensions are in Millimeters (mm)



A



B



C



E



F



D

ORBIT



A	10W	700 LUMENS	CC6A P02 DZ### ##			B	10W	700 LUMENS	CC6B P03 DZ### ##		
	15W	1050 LUMENS	CC6A P03 DZ### ##				15W	1050 LUMENS	CC6B P04 DZ### ##		
	15W	1400 LUMENS	CC6A P04 DZ### ##				15W	1050 LUMENS	CC6B P02 DZ### ##		
C	10W	700 LUMENS	CC6C P03 DZ### ##			D	15W	1050 LUMENS	CC6D P02 DZ### ##		
	15W	1050 LUMENS	CC6C P04 DZ### ##				15W	1050 LUMENS	CC6D P02 DZ### ##		
E	10W	700 LUMENS	CC6E P01 DZ### ##			F	15W	1050 LUMENS	CC6F P02 DZ### ##		
	15W	1050 LUMENS	CC6E P02 DZ### ##				15W	1050 LUMENS	CC6F P02 DZ### ##		

*Given Wattage and Lumens are with respect to LED module with Diffuser

OPTIONS AVAILABLE

CONTROL

- S - SWITCH
- D - DALI
- A - ANALOG

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

BAND COLOR

- 01 ○ Signal White
- 02 ● Jet Black
- 41 ● Light Grey
- 44 ● Copper Brown
- 51 ● Perl Gold
- 52 ● Perl Dark Grey



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & COLOR

* Control and Tunable options are available only with the choice of LED module

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL


LIGHT SOURCE OPTIONS



ZANE



10W 1050 LUMENS CC7A P02 DS### ##




LIGHT SOURCE



Lamp

*Given Wattage and Lumens are with respect to Lamp

10W 700 LUMENS CC7B P01 DS### ##



LIGHT SOURCE



LED Module

*Given Wattage and Lumens are with respect to LED module with Diffuser

Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

BAND COLOR

- 02 ● Jet Black
- 03 ● Graphite Grey
- 44 ● Copper Brown
- 51 ● Perl Gold
- 52 ● Perl Dark Grey

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### ## - CCT & COLOR

* Customization available on SIZE and POWER

* Customized PAINT and POWDER COAT options available based on RAL



MOTIF




20W 1400 LUMENS CC8A P03 DZ## DF

15W 1050 LUMENS CC8B P02 DZ## DF

*Given Wattage and Lumens are with respect to LED module with Diffuser



LIGHT SOURCE OPTIONS



TUNABLE
3000K to 6000K

- * Control and Tunable options are available only with the choice of LED module
- * Customization available on SIZE and POWER




**CLAY
LUMINAIRES**


SERA




A 10W 700 LUMENS CL1A P02 DS### ##




B 10W 700 LUMENS CL1B P02 DS### ##




C 10W 700 LUMENS CL1C P01 DS### ##




D 10W 700 LUMENS CL1D P02 DS### ##



E 10W 700 LUMENS CL1E P01 DS### ##



F 10W 700 LUMENS CL1F P02 DS### ##



Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to LED module

OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K

TEXTURES

- 03  Caramel Glaze
- 04  Olive Satin Matte
- 06  Royal Blue
- 07  Blue Drip

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ### ## - CCT & TEXTURE

* Customization available on COLOR, SIZE and POWER

LIGHT SOURCE OPTIONS





A

C

E

D

B

F

LOY



10W 700 LUMENS CL02 P01 DS## ##

10W 700 LUMENS CL02 P02 DS## ##

*Given Wattage and Lumens are with respect to LED module


OPTIONS AVAILABLE

CCT

- 27 - 2700K
- 30 - 3000K
- 40 - 4000K
- 57 - 5700K
- 65 - 6500K


COLOR

- 09  Pastel Blue
- 10  Fern Green
- 23  Ruby Red
- 33  Grey Blue
- 38  Pale Green
- 47  Pure White



Dimensions are in Millimeters (mm)

LIGHT SOURCE OPTIONS



ARGILE



15W 1125 LUMENS CL3A P02 DS## ##

20W 1500 LUMENS CL3A P03 DS## ##




15W 1125 LUMENS CL3B P02 DS## ##

20W 1500 LUMENS CL3B P03 DS## ##

15W 1125 LUMENS CL3C P02 DS## ##

20W 1500 LUMENS CL3C P03 DS## ##

*Given Wattage and Lumens are with respect to LED module



Dimensions are in Millimeters (mm)


PRODUCT CODING

Select from options and Specify the CODE


*REPLACE ## ## - CCT & COLOR

* Customization available on COLOR, SIZE and POWER


LIGHT SOURCE OPTIONS




TERRA



15W	20W
1125 LUMENS	1500 LUMENS
CL4A P01 DS###	CL4A P02 DS###



15W	20W
1125 LUMENS	1500 LUMENS
CL4B P02 DS###	CL4B P03 DS###



15W	20W
1125 LUMENS	1500 LUMENS
CL4C P01 DS###	CL4C P02 DS###

Dimensions are in Millimeters (mm)

*Given Wattage and Lumens are with respect to LED module

OPTIONS AVAILABLE

CCT	COLOR
27 - 2700K	09 Pastel Blue
30 - 3000K	10 Fern Green
40 - 4000K	23 Ruby Red
57 - 5700K	24 Beige Red
65 - 6500K	33 Grey Blue
	47 Pure White


PRODUCT CODING

Select from options and Specify the CODE

*REPLACE ### - CCT & COLOR

* Customization available on COLOR, SIZE and POWER

LIGHT SOURCE OPTIONS








BADMINTON COURT LIGHTING

**LIGHTING
YOUR PATH TO
SUCCESS**


LUMINA



150W

13500 LUMENS

ST01 P12 DS57 ##



Height - 65

Dimensions are in Millimeters (mm)

OPTIONS AVAILABLE

COLOR

- 01 Signal White
- 02 Jet Black
- 13 Concrete Grey





PRODUCT CODING

Select from options and Specify the CODE




*REPLACE ## - COLOR

* Customization available on SIZE and POWER

INSTALLATION MECHANISM



Lighting Arrangement






CLEANROOM LIGHTING

ZURI-B

BOTTOM OPEN CLEAN ROOM LIGHTS






1X1




20W 3000 LUMENS CR1A R03 DZ## ##



1X2



30W 3000 LUMENS CR1B R06 DZ## ##




2X2



30W 3000 LUMENS CR2A R06 DZ## ##

40W 4000 LUMENS CR2B R06 DZ## ##




1X4




Dimensions are in Millimeters (mm)

30W 3000 LUMENS CR3A R12 DZ## ##

40W 4000 LUMENS CR3B R12 DZ## ##




2X4




40W 3000 LUMENS CR4A R12 DZ## ##

60W 6000 LUMENS CR4B R12 DZ## ##



ZURI-T




TOP OPEN CLEAN ROOM LIGHTS



30W 3000 LUMENS CR5A R06 DZ### ##

40W 4000 LUMENS CR5B R06 DZ### ##



* Customization available on SIZE and POWER on request

OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

BODY

SS  Stainless Steel

47  Pure White



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### ## - CCT & BODY

LIGHT SOURCE



LED Module






GRID CEILING LUMINAIRES

REGULAR

LED CCT 3000K, 4000K, 5000K, 6000K IP40 CRI 85



40W 4000 LUMENS GR01 R05 DZ## ##




Dimensions are in Millimeters (mm)

CLIP-IN

LED CCT 3000K, 4000K, 5000K, 6000K IP40 CRI 85




40W 4000 LUMENS GR02 R06 DZ## ##



Dimensions are in Millimeters (mm)

NURAY


1X4



30W 3000 LUMENS GR3A R10 DZ### ##

40W 4000 LUMENS GR3B R10 DZ### ##







2X2




30W	3000 LUMENS	GR4A R05 DZ## ##
40W	4000 LUMENS	GR4B R05 DZ## ##



2X4



40W	4000 LUMENS	GR5A R10 DZ## ##
60W	6000 LUMENS	GR5B R10 DZ## ##



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K


57 - 5700K

65 - 6500K

BODY

SS  Stainless Steel

47  Pure White



PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ## ## - CCT & BODY



* Customization available on SIZE and POWER


LIGHT SOURCE



LED Module

STRIPE






20W

1600 LUMENS


GR06 R05 DZ### ##



20W

1600 LUMENS

GR07 R05 DZ### ##



30W

3000 LUMENS

GR08 R11 DZ### ##



OPTIONS AVAILABLE

CONTROL

S - SWITCH

D - DALI

A - ANALOG

CCT

27 - 2700K

30 - 3000K

40 - 4000K

57 - 5700K

65 - 6500K

BODY

SS Stainless Steel

01 Signal White

TUNABLE
3000K to 6000K

PRODUCT CODING

Select from options and Specify the CODE

*REPLACE Z - CONTROL, ### - CCT & BODY

* Customization available on SIZE and POWER

LIGHT SOURCE



TRAPEZOID





SUSPENDED LUMINAIRE



CEILING LUMINAIRE



WALL MOUNT LIGHT FIXTURE



TABLE TOP LIGHT FIXTURE



FLOOR MOUNT LIGHT FIXTURE



DIRECT LIGHT



INDIRECT LIGHT



DIRECT & INDIRECT LIGHT



WALL WASHER



INGRESS PROTECTION RATINGS



CORRELATED COLOR TEMPERATURE



COLOR RENDERING INDEX



ON / OFF



1-10V ANALOG DIMMING



DIGITAL ADDRESSABLE DIMMING

NOTE

- Lumens mentioned are + or - 5%
- Customization is possible on request only if the respective light model permits.
- Luminaire design, size and color shall be adapted based on order requirement.
- Images can be used for reference.



VTECH BIOTRON PVT LTD
#84, ANUSUYA ASHRAMA, 3RD MAIN, MAGADI MAIN ROAD
RAJAJINAGAR INDUSTRIAL TOWN - BENGALURU 560044
INDIA

080 23507469
TOLLFREE : 1800 890 2146

www.lunnark.com
info@vtechbiotron.com